

# Normetanephrine ELISA kit High Sensitivity – Plasma samples

Ref: BA-E-8200

This Normetanephrine ELISA kit enables the fast measurement of free L-Normetanephrine in plasma samples. Intended for *in vitro* diagnostics & research use, this quantitative immunoassay is based on a simple and fast sample preparation protocol, and offers a limit of detection as low as 23pg/ml.

Sample type	500μl plasma
Samples/kit	40 samples in duplicate
Sensitivity	23pg/ml
Range	48 - 4 800pg/ml
Assay time	Sample preparation and acetylation (30 min), ELISA overnight
Reactivity	Reacts with all species

www.immusmol.com Page 1



### **INFORMATIONS**

<b>Product overview</b>	
Product name	Normetanephrine ELISA kit – Plasma – Fast-Track
Description	In vitro diagnostics & Research use enzyme immunoassay (ELISA) for the fast determination of free normetanephrine (normetadrenaline) in plasma samples
Labels	IVD (EU Only) or RUO, CE
Format	96-well plate
Samples	plasma
Sample volume	500μL
Reactivity	Reacts with all species
Standard range	0 / 48 - 4 800pg/ml
Sensitivity	23pg/ml
Specificity	No significant cross-reactivity was observed with Normetanephrine analogs such as Metanephrine, 3-methoxytyramine, Adrenaline, Noradrenaline, Dopamine, VMS, HVMS, L-Dopa, L-Tyrosine, Tyramine and Acetaminophen
Assay time	Sample preparation and acetylation 30 min and ELISA overnight
Storage	Store at 2-8°C for to 6 months
Datasheets	Instructions for use, Material safety datasheet

www.immusmol.com Page 2




### **PROTOCOLS**

Sample collection & storage	EDTA- or citrate-plasma sample only. Do not use haemolytic or lipemic samples. Storage: up to 6 hours at 2 – 8°C; for longer periods (up to 6 months) at – 20°C
Sample preparation	Sample precipitation and acetylation (30min)
ELISA	Normetanephrine antiserum overnight incubation, revelation and read steps (1h)
Detailed protocol	Download instructions for use

## Product pictures



#### **Plasma Normetanephrine ELISA**



#### Plasma Normetanephrine ELISA: Standard curve

Standard curve - to be generated every time the assay is performed.

### **Contact information**

Immusmol

229 Cours de l'Argonne

www.immusmol.com Page 3



33 000 Bordeaux - France Tel: +33 (0) 5 6431 1170 www.immusmol.com

### To order, review, ask for technical support, visit product page at:

https://www.immusmol.com/shop/normetanephrine-elisa-kit-plasma-samples/

www.immusmol.com Page 4