

Ornithine ELISA kit – High Sensitivity – Plasma samples

Ref: IS-I-1000R

Free L-Arginine (Arg) is provided by diet, de novo synthesis and protein turnover. De novo synthesis is sufficiently important to not consider Arg as an essential amino acid. However, in some circumstances - eg. early development, infection and inflammation - de novo synthesis is not enough and require dietary Arg, which is thus classified as a conditionally-essential amino acid. Whatever the source, Arg can be metabolized through different degrading pathways which include i) the nitric oxide synthase (NOS) pathway providing Citrulline and NO, as well as ii) the well-known Arginase pathway leading to the production of Urea and L-Ornithine (Orn).

| Sample type | Plasma | |
|----------------|--|--|
| Capacity | 96 tests | |
| Sensitivity | 8.5μΜ | |
| Range | 20 - 781.25μM | |
| Assay time | Sample preparation 3h, ELISA overnight | |
| Reactivity | Reacts with all species | |
| | | |

References Cited in 1 paper



INFORMATIONS

| Product overview | |
|-------------------------|---|
| Product name | L-Ornithine ELISA kit |
| Description | Competitive ELISA kit for the quantitative measurement of L-Ornithine (Orn) in plasma samples. For research use only |
| Format | 96-well plate |
| Samples | Plasma |
| Minimal sample volume | 20μL |
| Reactivity | Reacts with all species |
| Standard range | 20 - 781.25μM |
| Sensitivity | 8.5μΜ |
| Specificity | No significant cross-reactivity was observed with Agmatine, L-Arginine, NG-Methyl-L-Arginine, L-Argino-succinate, L-Citrulline, L-Glutamine & L-Glutamate |
| Assay time | Sample preparation 3h and ELISA overnight |
| Storage | Store at 2-8°C for up to 6 months |
| Datasheets | Instructions for use, Material Safety Datasheet |

For research use only - Do not use for diagnostic



PROTOCOLS

| Detailed protocol | Download instructions for use |
|-----------------------------|---|
| ELISA | L-Ornithine antiserum overnight incubation, revelation and read steps (1h) |
| Sample preparation | Sample preparation (3 hours) |
| Sample collection & storage | EDTA Plasma Store samples at 2-8°C for up to 48h or -20°C for longer period (up to 6 months) |

REFERENCES


Product citation

Product pictures



L-Ornithine ELISA kit

IS-I-1000R ELISA kit



Typical standard curve of Ornithine ELISA


Typical standard curve obtained with the Orn ELISA kit. In this competitive enzyme immunoassay, optical density is inversely correlated with Orn levels within a linear range of 20 - $781.25\mu M$. (example data - do not use for calculation).





L-Ornithine ELISA kit

IS-I-1000R ELISA kit



Cross-validation of L-Ornithine ELISA and LC/MS data in human plasma samples

Orn was quantified in human plasma samples from healthy subjects using IS-I-1000R ELISA kit or by LC/MS. Correlation study showed R2=0.9636, thereby confirming the accuracy of the immunoassay

Contact information

Immusmol 229 Cours de l'Argonne

33 000 Bordeaux - France

Tel: +33 (0) 5 6431 1170 www.immusmol.com

www.iiiiiiid3iiidi.coiii

To order, review, ask for technical support, visit product page at:

https://www.immusmol.com/shop/ornithine-elisa-kit/