

Date of issue: 11.08.2023 Revision date: 11.08.2023 Version/Replaced version: 10/09

# The Safety Data Sheet is usable for:

REF	Name
BA E-8100	Metanephrine Plasma ELISA Fast Track
BA E-8100R	Metanephrine Plasma ELISA Fast Track
BA E-8200	Normetanephrine Plasma ELISA Fast Track
BA E-8200R	Normetanephrine Plasma ELISA Fast Track
BA E-8300	2-MET Plasma ELISA Fast Track
BA E-8300R	2-MET Plasma ELISA Fast Track

# Single components with dangerous ingredients:

REF	Name	
BA E-0080	Stop Solution	STOP-SOLN
BA R-8312	Acylation Concentrate	ACYL-CONC
BA R-8313	Assay Buffer	ASSAY-BUFF
BA R-8326	Elution Buffer	<b>ELUTION-BUFF</b>
Standards and Con	trols:	
BA E-8301	Standard A	STANDARD A
BA E-8302	Standard B	STANDARD B
BA E-8303	Standard C	STANDARD C
BA E-8304	Standard D	STANDARD D
BA E-8305	Standard E	STANDARD E
BA E-8306	Standard F	STANDARD F
BA E-8351	Control 1	CONTROL 1
BA E-8352	Control 2	CONTROL 2

Not listed single components contain no hazardous substances in concentrations to be declared, a labelling is not required.



# Safety Data Sheet

according to Regulation (EU) 2020/878

Date of issue: 14.07.2023 Revision date: - Version/Replaced version: 1.0/-

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Stop Solution BA E-0080

UFI : -

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory reagent, Immunoassays

Use by professionals.

1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

Supplier/Manufacturer

LDN Labor Diagnostika Nord GmbH & Co. KG Am Eichenhain 1

48531 Nordhorn, Germany T +49 (0)5921 81970 - F +49 (0)5921 8197 201

support@ldn.de

# 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency telephone number
Germany	LDN Labor Diagnostika Nord GmbH & Co. KG	Am Eichenhain 1	+49 (0) 5921-81970
		48531 Nordhorn, Germany	(Mo-Fr 8:00-16:00)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]
Corrosive to metals, Category 1 H290

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals.

# 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Warning

Hazard statements (CLP) : H290 - May be corrosive to metals.

Precautionary statements (CLP) : P234 - Keep only in original packaging.

P390 - Absorb spillage to prevent material damage.

P406 - Store in a corrosion resistant container with a resistant inner liner.

Reduced labelling (contents of the package ≤ 125 ml) according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) : Signal word (CLP) : Hazard statements (CLP) : Precautionary statements (CLP) : -

# 2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

14.07.2023 EN (English) Stop Solution BA E-0080: 1/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sulphuric acid	(CAS-No.) 7664-93-9 (EC-No.) 231-639-5 (EC Index-No.) 016-020-00-8	< 5	Met. Corr. 1, H290 Skin Corr. 1A, H314

Name	Product identifier	Specific concentration limits according to Regulation (EC) No. 1272/2008 [CLP]
Sulphuric acid	(CAS-No.) 7664-93-9 (EC-No.) 231-639-5 (EC Index-No.) 016-020-00-8	(5 ≤ C < 15) Eye Irrit. 2, H319 (5 ≤ C < 15) Skin Irrit. 2, H315 (C ≥ 15) Skin Corr. 1A, H314

Full text of H-statements: see section 16

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell. If possible show him this sheet. Failing this,

show him the packaging or label. Never give anything by mouth to an unconscious person.

Place the affected person in the recovery position.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Drink plenty of water as a precaution.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Adapt extinguishing agents to the environment. Carbon dioxide. Foam. Dry extinguishing

powder. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of : Toxic gases may be formed. Carbon dioxide. Carbon monoxide.

fire

5.3. Advice for firefighters

Firefighting instructions : Prevent firefighting water from entering the environment. Use water spray or fog for cooling

exposed containers.

Protection during firefighting : Use a self-contained breathing apparatus and also a protective suit.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate air ventilation. Avoid contact with skin and eyes. Do not breathe

vapours/spray.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required. In case of inadequate ventilation wear

respiratory protection.

# 6.2. Environmental precautions

Prevent entry to sewers and public waters.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spillage to prevent material damage. Wipe up with absorbent material (for example

cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Dispose of in accordance with relevant local regulations.

14.07.2023 EN (English) Stop Solution BA E-0080: 2/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

# 6.4. Reference to other sections

Exposure controls and personal protection, see section 8. Concerning disposal elimination after cleaning, see section 13.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station.

: Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact

with skin and eyes. Do not breathe vapour/aerosol.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. When using do not

eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before

eating, drinking or smoking and when leaving work.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Store in original container. Keep

container tightly closed. Store in a cool, well-ventilated place. Protect from direct sunlight. Keep

out of frost

Prohibitions on mixed storage : Keep away from food, drink and animal feedingstuffs.

Incompatible materials : Metals.

7.3. Specific end use(s)Laboratory reagent, Immunoassays

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Sulphuric acid (7664-93-9)				
EU	Local name	Sulphuric acid (mist)		
EU	IOEL TWA	0.05 mg/m³		
Austria	Local name	Schwefelsäure		
Austria	MAK (OEL TWA) (mg/m³)	0.1 E mg/m³		
Austria	MAK (OEL STEL) (mg/m³)	0.2 E mg/m³		
Belgium	Local name	Acide sulfurique (brume) # Zwavelzuur (nevel)		
Belgium	OEL TWA (mg/m³)	0.2 mg/m³		
Belgium	Remark	С		
Germany	TRGS 900 Local name	Schwefelsäure		
Germany	TRGS 900 Occupational Exposure Limit Value (mg/m³)	0.1 E mg/m³		
Germany	TRGS 900 Remark	1(I), DFG, EU, Y		
Luxembourg	Local name	Acide sulfurique (brume)		
Luxembourg	OEL STEL (mg/m³)	0.05 mg/m³		
Switzerland	Local name	Schwefelsäure		
Switzerland	MAK (mg/m³)	0.1 e mg/m³		
Switzerland	KZGW (mg/m³)	0.2 e mg/m³		
Switzerland	Notation	C1 <sup>#</sup> A, SSc		

# 8.2. Exposure controls

# Appropriate engineering controls:

Provide local exhaust or general room ventilation to minimize vapour concentrations.

# Hand protection:

Wear suitable gloves (EN 374). Nitrile rubber, 0.35 mm. Butyl rubber, 0.5 mm. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

# Eye protection:

Wear safety glasses (EN 166).

# Skin and body protection:

Wear suitable protective clothing.

# Respiratory protection:

14.07.2023 EN (English) Stop Solution BA E-0080: 3/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Breathing apparatus with filter type P2.

## **Environmental exposure controls:**

Avoid release to the environment.

# SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless Odour : No data available : No data available Melting point/freezing point Boiling point or initial boiling point and boiling : No data available

range

Flammability : No data available Lower and upper explosion limit : No data available Flash point : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available

рΗ : < 1.0

Kinematic viscosity : No data available : No data available Solubility Partition coefficient n-octanol/water (log value) : Not applicable : No data available Vapour pressure Density and/or relative density : No data available : No data available Relative vapour density Particle size : Not applicable

#### 9.2. Other information

#### Information with regard to physical hazard classes 921

Explosive properties : No explosive properties Oxidising properties : No oxidising properties

#### Other safety characteristics 922

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

#### 10.2. **Chemical stability**

Stable under use and storage conditions as recommended in section 7.

#### Possibility of hazardous reactions 10.3.

May be corrosive to metals.

#### 10.4. Conditions to avoid

High temperatures.

# Incompatible materials

Strong oxidizing agents. Strong bases. Strong acids. Metals.

#### 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. In case of fire: Toxic gases may be formed. Carbon dioxide. Carbon monoxide.

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met

Sulphuric acid (7664-93-9)		
LD50 oral rat 2140 mg/kg		
LC50 inhalation rat	375 mg/m³	

Skin corrosion/irritation : Not classified

Based on available data, the classification criteria are not met

14.07.2023 EN (English) Stop Solution BA E-0080: 4/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

Serious eye damage/irritation : Not classified

Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (repeated

exposure)

: Not classified

Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Based on available data, the classification criteria are not met

11.2. Information on other hazards

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

## , ,

# SECTION 12: Ecological information

## 12.1. Toxicity

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

Sulphuric acid (7664-93-9)		
LC50 fish	> 16 - < 28 mg/l 96 h, Lepomis macrochirus	
EC50 crustacea	> 100 mg/l 48 h, Daphnia magna	
EC50 algae	> 100 mg/l 72 h, Desmodesmus subspicatus	
NOEC chronic fish	0.31 mg/l 213 d, Salvelinus fontinalis	
NOEC chronic crustacea	0.15 mg/l, Tanytarsus dissimilis	

# 12.2. Persistence and degradability

Not required for inorganic substances.

# 12.3. Bioaccumulative potential

Not required for inorganic substances.

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

# 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

No additional information available

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.

Waste treatment methods : Do not empty into drains. Dispose of this material and its container in a safe way.

Waste code : The waste code number according to the Ordinance on the European Waste Catalogue

depends on the waste producer and can therefore vary for any given product. The waste code number is therefore to be gleaned separately from each waste producer.

SECTION 14: Transport information

# la a candana a with ADD / IADO / IATA

In accordance with ADR / IMDG / IATA

# 14.1. UN number or ID number

UN-No. (ADR) : Not applicable UN-No. (IMDG) : Not applicable UN-No. (IATA) : Not applicable

14.07.2023 EN (English) Stop Solution BA E-0080: 5/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

# 14.6. Special precautions for user

# **Overland transport**

Not applicable

# Transport by sea

Not applicable

# Air transport

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

# 15.1.2. National regulations

# Germany

Water hazard class (WGK) : WGK 1 - Slightly hazardous to water
WGK Remark : Classification according to AwSV, Annex 1

Storage class (LGK) : LGK 10 - 13

Employment restrictions : Employment prohibitions for the protection of young people at work according to § 22 section

1(6) JArbSchG have to be observed.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Changes compared to the previous version :

Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

# Safety Data Sheet

according to Regulation (EU) 2020/878

DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration)
IATA	International Air Transport Association
IMDG	"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea
LC50	Lethal Concentration to 50 % of a test population (Median Lethal Concentration)
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOAEL	Lowest Observed Adverse Effect Level
NOAEC/L	No Observed Adverse Effect Concentration/Level
NOEC/L	No Observed Effect Concentration/Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic substance
PNEC	Predicted No-Effect Concentration
REACH	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
SDS	Safety Data Sheet
STP	Sewage Treatment Plant
UFI	Unique Formula Identifier
vPvB	Very Persistent and Very Bioaccumulative

# Full text of H- and EUH-phrases:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

# SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

14.07.2023 EN (English) Stop Solution BA E-0080: 7/7



# Safety Data Sheet

according to Regulation (EU) 2020/878

Date of issue: 14.07.2023 Revision date: - Version/Replaced version: 1.0/-

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Acylation Concentrate BA R-8312

UFI : -

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory reagent, Immunoassays

Use by professionals.

1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

Supplier/Manufacturer

LDN Labor Diagnostika Nord GmbH & Co. KG Am Eichenhain 1

48531 Nordhorn, Germany

T +49 (0)5921 81970 - F +49 (0)5921 8197 201

support@ldn.de

# 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency telephone number
Germany	LDN Labor Diagnostika Nord GmbH & Co. KG	Am Eichenhain 1	+49 (0) 5921-81970
		48531 Nordhorn, Germany	(Mo-Fr 8:00-16:00)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314
Skin sensitisation, Category 1 H317
Serious eye damage/eye irritation, Category 1 H318
Respiratory sensitisation, Category 1 H334

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

# 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05 GHS08

Signal word (CLP) : Danger

Hazardous ingredients : Succinic anhydride

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements (CLP) : P260 - Do not breathe mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eyeprotection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 - Immediately call a POISON CENTER/doctor.

P501 - Dispose of contents/container to an authorised waste collection point.

14.07.2023

# Safety Data Sheet

according to Regulation (EU) 2020/878

**FUH-statements** : EUH071 - Corrosive to the respiratory tract.

Reduced labelling (contents of the package ≤ 125 ml) according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





**GHS05** 

GHS08

Signal word (CLP) : Danger

Hazardous ingredients : Succinic anhydride

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements (CLP) : P260 - Do not breathe mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eyeprotection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 - Immediately call a POISON CENTER/doctor.

P501 - Dispose of contents/container to an authorised waste collection point.

**EUH-statements** : EUH071 - Corrosive to the respiratory tract.

#### Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# **SECTION 3: Composition/information on ingredients**

#### 3.1. **Substances**

Not applicable

#### 3.2. **Mixtures**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dimethyl sulfoxide	(CAS no) 67-68-5 (EC no) 200-664-3	> 60	Not classified
Succinic anhydride	(CAS no) 108-30-5 (EC no) 203-570-0 (EC index no) 607-103-00-5	15 - < 25	Acute Tox. 4 (oral), H302 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Resp. Sens. 1, H334 EUH071

Full text of H-statements: see section 16

# **SECTION 4: First aid measures**

# Description of first aid measures

First-aid measures general Get medical advice/attention if you feel unwell. If possible show him this sheet. Failing this,

show him the packaging or label. Never give anything by mouth to an unconscious person.

Place the affected person in the recovery position.

First-aid measures after inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Call First-aid measures after skin contact a physician immediately.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

First-aid measures after eye contact

and easy to do. Continue rinsing. Call a physician immediately

First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Drink water as a precaution. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. Corrosive to the

respiratory tract.

Symptoms/effects after skin contact : Causes severe skin burns. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye damage.

#### Indication of any immediate medical attention and special treatment needed 4.3.

Treat symptomatically.

14.07.2023 EN (English) Acylation Concentrate BA R-8312: 2/8

# Safety Data Sheet

according to Regulation (EU) 2020/878

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Adapt extinguishing agents to the environment. Carbon dioxide. Foam. Dry extinguishing

powder. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of

of :

: Toxic gases may be formed. Carbon dioxide. Carbon monoxide. Sulphur oxides.

# 5.3. Advice for firefighters

fire

Firefighting instructions : Prevent firefighting water from entering the environment. Use water spray or fog for cooling

exposed containers.

Protection during firefighting : Use a self-contained breathing apparatus and also a protective suit.

# SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Provide adequate ventilation. Avoid contact with skin and eyes. Do

not breathe vapours/spray.

# 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

# 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required. In case of inadequate ventilation wear

respiratory protection.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as

clay or diatomaceous earth as soon as possible. Dispose of in accordance with relevant local

regulations.

# 6.4. Reference to other sections

Exposure controls and personal protection, see section 8. Concerning disposal elimination after cleaning, see section 13.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Use only outdoors or in a well-ventilated area. Wear

personal protective equipment. Avoid contact with skin and eyes. Do not breathe vapour/aerosol.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. When using do not

eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash it before reuse.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a cool, well-ventilated place.

Protect from heat and direct sunlight. Protect from frost. Store locked up.

Prohibitions on mixed storage : Keep away from food, drink and animal feedingstuffs.

# 7.3. Specific end use(s)

Laboratory reagent, Immunoassays.

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Dimethyl sulfoxide (67-68-5)		
Austria	Local name	Dimethylsulfoxid
Austria	MAK (OEL TWA) (mg/m³)	160 mg/m³
Austria	MAK (OEL TWA) (ppm)	50 ppm
Austria	Remark (AT)	Н
Germany	TRGS 900 Local name	Dimethylsulfoxid (DMSO)
Germany	TRGS 900 Occupational Exposure Limit Value (mg/m³)	160 mg/m³
Germany	TRGS 900 Occupational Exposure Limit Value (ppm)	50 ppm
Germany	TRGS 900 Remark	2(I), DFG, Z, H
Switzerland	Local name	Diméthylsulfoxyde (DMSO) / Dimethylsulfoxid (DMSO)
Switzerland	MAK (mg/m³)	160 mg/m³

14.07.2023 EN (English) Acylation Concentrate BA R-8312: 3/8

# Safety Data Sheet

according to Regulation (EU) 2020/878

Dimethyl sulfoxide (67-68-5)		
Switzerland	MAK (ppm)	50 ppm
Switzerland	KZGW (mg/m³)	320 mg/m³
Switzerland	KZGW (ppm)	100 ppm
Switzerland	Notation (CH)	Н

OTTIZENDIA TOTALION (OTT)	1	
Dimethyl sulfoxide (67-68-5)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	365 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	75 mg/m³	
Long-term - local effects, inhalation	17.67 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects, oral	1.67 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	56 mg/m³	
Long-term - systemic effects, dermal	178 mg/kg bodyweight/day	
Long-term - local effects, inhalation	3.13 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	17 mg/l	
PNEC aqua (marine water)	1.7 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	61.4 mg/kg dry weight	
PNEC sediment (marine water)	6.14 mg/kg dry weight	
PNEC (Soil)		
PNEC soil	2.32 mg/kg dry weight	
PNEC (Oral)		
PNEC oral (secondary poisoning)	0.7 g/kg food	
PNEC (STP)		
PNEC sewage treatment plant	11 mg/l	
Succinic anhydride (108-30-5)		
PNEC (Water)		
PNEC aqua (freshwater)	0.085 mg/l	
PNEC aqua (marine water)	0.009 mg/l	
PNEC aqua (freshwater, intermittent)	0.85 mg/l	
PNEC aqua (marine water, intermittent)	0.085 mg/l	
PNEC (Sediment)	-	
PNEC sediment (freshwater)	1.959 mg/kg dry weight	
PNEC sediment (marine water)	0.196 mg/kg dry weight	
PNEC (Soil)		
PNEC soil	0.342 mg/kg dry weight	
PNEC (STP)		
PNEC sewage treatment plant	2.5 mg/l	

# 8.2. Exposure controls

# Appropriate engineering controls:

Provide local exhaust or general room ventilation to minimize vapour concentrations.

# Hand protection:

Wear suitable gloves (EN 374). Nitrile rubber, 0.35 mm, Butyl rubber, 0.5 mm. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

# Eye protection:

Wear safety glasses (EN 166).

# Skin and body protection:

Wear suitable protective clothing.

14.07.2023

# Safety Data Sheet

according to Regulation (EU) 2020/878

# Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Breathing apparatus with filter type A-P2.

## **Environmental exposure controls:**

Avoid release to the environment.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless
Odour : No data available
Melting point/freezing point : No data available
Boiling point or initial boiling point and boiling : No data available

range

Flammability : No data available : No data available Lower and upper explosion limit : No data available Flash point : No data available Auto-ignition temperature Decomposition temperature : No data available : No data available рΗ : No data available Kinematic viscosity : No data available Solubility Partition coefficient n-octanol/water (log value) : Not applicable Vapour pressure : No data available Density and/or relative density : No data available : No data available Relative vapour density

# 9.2. Other information

Particle size

# 9.2.1. Information with regard to physical hazard classes

Explosive properties : No explosive properties.

Oxidising properties : No oxidising properties.

: Not applicable

# 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

# 10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

# 10.3. Possibility of hazardous reactions

None under normal use.

# 10.4. Conditions to avoid

High temperatures.

# 10.5. Incompatible materials

Strong oxidizing agents. Strong bases. Strong acids.

# 10.6. Hazardous decomposition products

No hazardous decomposition products known. In case of fire: Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Sulphur oxides.

# SECTION 11: Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Not classified

Based on available data, the classification criteria are not met

Dimethyl sulfoxide (67-68-5)	
LD50 oral rat	28300 mg/kg
LD50 dermal rat	~ 40000 mg/kg
LC50 inhalation rat	> 5.33 mg/l air, 4 h

14.07.2023 EN (English) Acylation Concentrate BA R-8312: 5/8

# Safety Data Sheet

according to Regulation (EU) 2020/878

Succinic anhydride (108-30-5)	
LD50 oral rat	1794.9 mg/kg
LD50 dermal rat	> 2000 mg/kg
Skin corrosion/irritation	Causes severe skin burns and eve damage

Serious eye damage/irritation : Causes severe skin burns and eye damage.

Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (repeated

exposure)

: Not classified

Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Based on available data, the classification criteria are not met

11.2. Information on other hazards

Potential adverse human health effects and

: Based on available data, the classification criteria are not met

symptoms

# SECTION 12: Ecological information

# 12.1. Toxicity

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

Dimethyl sulfoxide (67-68-5)	
LC50 fish	25000 mg/l 96 h, Danio rerio
EC50 daphnia	24600 mg/l 48 h, Daphnia magna
ErC50 algae	17000 mg/l 72 h, Raphidocelis subcapitata

Succinic anhydride (108-30-5)	
LC50 fish	> 100 mg/l 96 h, Danio rerio
EC50 daphnia	> 102 mg/l 48 h, Daphnia magna
ErC50 algae	> 100 mg/l 72 h, Raphidocelis subcapitata
NOEC algae	100 mg/l 72 h, Raphidocelis subcapitata

# 12.2. Persistence and degradability

Dimethyl sulfoxide (67-68-5)	
Persistence and degradability	Not readily biodegradable.
Biodegradation	31 %, 28 d

Succinic anhydride (108-30-5)	
Persistence and degradability	Readily biodegradable.
Biodegradation	96.6 %, 28 d

# 12.3. Bioaccumulative potential

Dimethyl sulfoxide (67-68-5)	
Partition coefficient n-octanol/water (Log Pow)	-1.35 (20 °C)

Succinic anhydride (108-30-5)	
Partition coefficient n-octanol/water (Log Pow)	2.44 (40 °C)

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

# 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

No additional information available

14.07.2023 EN (English) Acylation Concentrate BA R-8312: 6/8

# Safety Data Sheet

according to Regulation (EU) 2020/878

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.

Waste treatment methods : Do not empty into drains. Dispose of this material and its container in a safe way.

Waste code : The waste code number according to the Ordinance on the European Waste Catalogue

depends on the waste producer and can therefore vary for any given product. The waste code

number is therefore to be gleaned separately from each waste producer.

# SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

14.1. UN number or ID number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

**IATA** 

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

# 14.6. Special precautions for user

# **Overland transport**

Not applicable

# Transport by sea

Not applicable

# Air transport

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

Contains no substance on the REACH Candidate List

Contains no REACH Annex XIV substances

# 15.1.2. National regulations

# Germany

Water hazard class (WGK) : WGK 1 - Slightly hazardous to water

WGK Remark : Classification according to AwSV, Annex 1

Storage class (LGK) : LGK 8A - Combustible corrosive substances

14.07.2023 EN (English) Acylation Concentrate BA R-8312: 7/8

# Safety Data Sheet

according to Regulation (EU) 2020/878

Employment restrictions

: Employment prohibitions for the protection of young people at work according to § 22 section 1(6) JArbSchG have to be observed.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

# **SECTION 16: Other information**

Data sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Changes compared to the previous version

\_

# Abbreviations and acronyms:

	•
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration)
IATA	International Air Transport Association
IMDG	"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea
LC50	Lethal Concentration to 50 % of a test population (Median Lethal Concentration)
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOAEL	Lowest Observed Adverse Effect Level
NOAEC/L	No Observed Adverse Effect Concentration/Level
NOEC/L	No Observed Effect Concentration/Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic substance
PNEC	Predicted No-Effect Concentration
REACH	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
SDS	Safety Data Sheet
STP	Sewage Treatment Plant
UFI	Unique Formula Identifier
vPvB	Very Persistent and Very Bioaccumulative

# Full text of H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam.1	Serious eye damage/eye irritation, Category 1
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Sens. 1	Skin sensitisation, Category 1
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
EUH071	Corrosive to the respiratory tract.

# SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

14.07.2023 EN (English) Acylation Concentrate BA R-8312: 8/8



# Safety Data Sheet

according to Regulation (EU) 2020/878

Date of issue: 14.07.2023 Revision date: - Version/Replaced version: 1.0/-

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Assay Buffer BA R-8313

UFI : -

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory reagent, Immunoassays

Use by professionals.

1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

Supplier/Manufacturer

LDN Labor Diagnostika Nord GmbH & Co. KG

Am Eichenhain 1

48531 Nordhorn, Germany

T +49 (0)5921 81970 - F +49 (0)5921 8197 201

support@ldn.de

# 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency telephone number
Germany	LDN Labor Diagnostika Nord GmbH & Co. KG	Am Eichenhain 1	+49 (0) 5921-81970
		48531 Nordhorn, Germany	(Mo-Fr 8:00-16:00)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Entzündbare Flüssigkeiten, Kategorie 3 H226

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour.

# 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

Signal word (CLP) : Warning

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 - Keep container tightly closed.

P280 - Wear eye protection.

P370+P378 - In case of fire: Use carbon dioxide, dry extinguishing powder, water spray, alcohol

resistant foam to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to an authorised waste collection point.

Reduced labelling (contents of the package  $\leq$  125 ml) according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



# Safety Data Sheet

according to Regulation (EU) 2020/878

Signal word (CLP) : Warning

Hazard statements (CLP) Precautionary statements (CLP)

## Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. **Mixtures**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol, ethyl alcohol* <sup>1</sup>	(CAS no) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 (REACH no) 01-2119457610-43-xxxx	< 25	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Name	Product identifier		concentration limits according to on (EC) No. 1272/2008 [CLP]
Ethanol, ethyl alcohol	(CAS no) 64-17-5 (EC no) 200-578-6	(C ≥ 50) Ey	ve Irrit. 2, H319

<sup>\*1</sup> denatured with ethyl methyl ketone (CAS no 78-93-3)

Full text of H-statements: see section 16

# SECTION 4: First aid measures

# Description of first aid measures

First-aid measures general Get medical advice/attention if you feel unwell. If possible show him this sheet. Failing this,

show him the packaging or label. Never give anything by mouth to an unconscious person.

Place the affected person in the recovery position.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Make the affected person rest and keep at warm. If breathing stops, give artificial respiration.

: Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

First-aid measures after skin contact First-aid measures after eye contact

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

: Rinse mouth. Do NOT induce vomiting. Drink plenty of water as a precaution. First-aid measures after ingestion

(EC index no) 603-002-00-5 (REACH no) 01-2119457610-43-xxxx

# Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# **Extinguishing media**

Suitable extinguishing media : Carbon dioxide. Dry extinguishing powder. Water spray. For a significant fire: Alcohol resistant

foam

Unsuitable extinguishing media : Do not use a heavy water stream.

#### Special hazards arising from the substance or mixture 52

: Flammable liquid and vapour. Fire hazard

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of : Toxic gases may be formed. Carbon dioxide. Carbon monoxide.

#### Advice for firefighters 5.3.

Firefighting instructions : Prevent firefighting water from entering the environment. Use water spray or fog for cooling

exposed containers.

Protection during firefighting : Use a self-contained breathing apparatus and also a protective suit.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

: Provide adequate ventilation. Remove ignition sources. Use special care to avoid static electric General measures

charges. No open flames. No smoking. Avoid contact with skin and eyes.

14.07.2023 EN (English) Assay Buffer BA R-8313: 2/8

# Safety Data Sheet

according to Regulation (EU) 2020/878

## 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

## 6.1.2. For emergency responders

Protective equipment

: Use personal protective equipment as required. In case of inadequate ventilation wear respiratory protection.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Clean preferably with a detergent - Avoid the use of solvents. Dispose of in accordance with relevant local regulations.

## 6.4. Reference to other sections

Exposure controls and personal protection, see section 8. Concerning disposal elimination after cleaning, see section 13.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling

: Provide good ventilation in process area to prevent formation of vapour. Remove all sources of ignition. No open flames. No smoking. Use only non-sparking tools. Take precautionary measures against static discharge. Wear personal protective equipment. Avoid contact with skin and eyes. Do not breathe vapour/aerosol.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety procedures. When using do not eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Take off contaminated clothing and wash it before reuse.

# 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.

Storage conditions

: Store in original container. Keep container tightly closed. Store in a cool, well-ventilated place. Keep in fireproof place. Protect from direct sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Prohibitions on mixed storage

: Keep away from food, drink and animal feedingstuffs. Keep away from oxidising agents and strongly alkaline and strongly acidic materials to prevent the possibility of exothermic reaction.

# 7.3. Specific end use(s)

Laboratory reagent, Immunoassays

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

Ethanol (64-17-5)		
Austria	Local name	Ethanol
Austria	MAK (OEL TWA) (mg/m³)	1900 mg/m³
Austria	MAK (OEL TWA) (ppm)	1000 ppm
Austria	MAK (OEL STEL) (mg/m³)	3800 mg/m³
Austria	MAK (OEL STEL) (ppm)	2000 ppm
Belgium	Local name	Ethanol
Belgium	OEL TWA (mg/m³)	1907 mg/m³
Belgium	OEL TWA (ppm)	1000 ppm
Germany	TRGS 900 Local name	Ethanol
Germany	TRGS 900 Occupational Exposure Limit Value (mg/m³)	200 mg/m³
Germany	TRGS 900 Occupational Exposure Limit Value (ppm)	380 ppm
Germany	TRGS 900 Remark	4(II), DFG,Y
Switzerland	Local name	Ethanol
Switzerland	MAK (mg/m³)	960 mg/m³
Switzerland	MAK (ppm)	500 ppm
Switzerland	KZGW (mg/m³)	1920 mg/m³
Switzerland	KZGW (ppm	1000 ppm
Switzerland	Notation (CH)	SSc

Ethanol (64-17-5)	
DNEL/DMEL (Workers)	

14.07.2023 EN (English) Assay Buffer BA R-8313: 3/8

# Safety Data Sheet

according to Regulation (EU) 2020/878

380 mg/m³		
DNEL/DMEL (General population)		
114 mg/m³		
0.96 mg/l		
0.79 mg/l		
2.75 mg/l		
3.6 mg/kg dwt		
2.9 mg/kg dwt		
PNEC (Soil)		
0.63 mg/kg dwt		
PNEC (Oral)		
0.38 g/kg food		
PNEC (STP)		
580 mg/l		

# 8.2. Exposure controls

# Appropriate engineering controls:

Provide local exhaust or general room ventilation to minimize vapour concentrations.

# Hand protection:

Wear suitable gloves (EN 374). Butyl rubber. 0.5 mm. FKM. 0.4 mm. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

# Eye protection:

Wear safety glasses (EN 166).

# Skin and body protection:

Wear suitable protective clothing. Flame retardant antistatic protective clothing.

# Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Breathing apparatus with filter type A.

# **Environmental exposure controls:**

Avoid release to the environment.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colourless

Odour : No data available

Melting point/freezing point : No data available

Boiling point or initial boiling point and boiling : No data available

range

Flammability : Flammable liquid and vapour

Lower and upper explosion limit : No data available Flash point : ≥ 23 - ≤ 60 °C Auto-ignition temperature : No data available Decomposition temperature : No data available pH : No data available Kinematic viscosity : No data available

Solubility : Water: completely miscible

Partition coefficient n-octanol/water (log value) : Not applicable

Vapour pressure : No data available

Density and/or relative density : No data available

Relative vapour density : No data available

Particle size : Not applicable

14.07.2023 EN (English) Assay Buffer BA R-8313: 4/8

# Safety Data Sheet

according to Regulation (EU) 2020/878

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosive properties : May form flammable/explosive vapour-air mixture.

: No oxidising properties Oxidising properties

# Other safety characteristics No additional information available

# **SECTION 10: Stability and reactivity**

#### Reactivity 10.1.

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

#### 10.2. **Chemical stability**

Stable under use and storage conditions as recommended in section 7.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# Conditions to avoid

Avoid contact with hot surfaces. Heat. Open flame. Sparks. Ignition sources.

#### 10.5. Incompatible materials

Strong oxidizing agents. Strong bases. Strong acids.

#### Hazardous decomposition products 10.6.

May release flammable gases. In case of fire: Carbon dioxide. Carbon monoxide.

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Not classified

Based on available data, the classification criteria are not met

Ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg
LC50 inhalation rat (Vapours)	124.7 mg/l/4 h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	Based on available data, the classification criteria are not met  : Not classified
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met  : Not classified
	Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified

Based on available data, the classification criteria are not met Carcinogenicity : Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (repeated

Not classified

exposure) Based on available data, the classification criteria are not met

Aspiration hazard : Not classified Based on available data, the classification criteria are not met

#### Information on other hazards 11.2.

Potential adverse human health effects and : Based on available data, the classification criteria are not met

symptoms

# SECTION 12: Ecological information

#### 12.1. **Toxicity**

: Not classified Acute aquatic toxicity Chronic aquatic toxicity : Not classified

Ethanol (64-17-5)	
LC50 fish	14200 mg/l 96 h, Pimephales promelas
EC50 daphnia	5012 mg/l 48h,Ceriodaphnia dubia

14.07.2023 Assay Buffer BA R-8313: 5/8 EN (English)

# Safety Data Sheet

according to Regulation (EU) 2020/878

Ethanol (64-17-5)	
ErC50 algae	275 mg/l 72 h, Chlorella vulgaris
NOEC fish	250 mg/l 120 h, Danio rerio
NOEC daphnia	9.6 mg/l 10 d, Ceriodaphnia dubia

# 12.2. Persistence and degradability

Ethanol (64-17-5)	
Persistence and degradability	Readily biodegradable.
Biodegradation	84 %, 20 d

# 12.3. Bioaccumulative potential

Ethanol (64-17-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.35 (25 °C)

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

# 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.

Waste treatment methods : Do not empty into drains. Dispose of this material and its container in a safe way.

Waste code : The waste code number according to the Ordinance on the European Waste Catalogue

depends on the waste producer and can therefore vary for any given product. The waste code

number is therefore to be gleaned separately from each waste producer.

# SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

# 14.1. UN number or ID number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable

# 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

# 14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.07.2023 EN (English) Assay Buffer BA R-8313: 6/8

# Safety Data Sheet

according to Regulation (EU) 2020/878

# 14.6. Special precautions for user

# **Overland transport**

Not applicable

# Transport by sea

Not applicable

# Air transport

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

# 15.1.2. National regulations

## Germany

Water hazard class (WGK) : WGK 1 – Slightly hazardous to water
WGK Remark : Classification according to AwSV, Annex 1

Storage class (LGK) : LGK 3 – Flammable liquids

Employment restrictions : Employment prohibitions for the protection of young people at work according to § 22 section

1(6) JarbSchG have to be observed.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Changes compared to the previous version : -

Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration)
IATA	International Air Transport Association
IMDG	"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea
LC50	Lethal Concentration to 50 % of a test population (Median Lethal Concentration)
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOAEL	Lowest Observed Adverse Effect Level
NOAEC/L	No Observed Adverse Effect Concentration/Level
NOEC/L	No Observed Effect Concentration/Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic substance
PNEC	Predicted No-Effect Concentration
REACH	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
SDS	Safety Data Sheet
STP	Sewage Treatment Plant
UFI	Unique Formula Identifier
vPvB	Very Persistent and Very Bioaccumulative

Full text of H- and EUH-phrases:

14.07.2023 EN (English) Assay Buffer BA R-8313: 7/8

# Safety Data Sheet

according to Regulation (EU) 2020/878

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H225	Flammable liquid and vapour.
H319	Causes serious eye irritation.

# SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

14.07.2023 EN (English) Assay Buffer BA R-8313: 8/8



# Safety Data Sheet

according to Regulation (EU) 2020/878

Date of issue: 14.07.2023 Revision date: -Version/Replaced version: 1.0/-

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. **Product identifier** 

: Mixture Product form

Product name : Elution Buffer BA R-8326

UFI

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory reagent, Immunoassays

Use by professionals.

122 Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Supplier/Manufacturer

LDN Labor Diagnostika Nord GmbH & Co. KG Am Eichenhain 1 48531 Nordhorn, Germany

T +49 (0)5921 81970 - F +49 (0)5921 8197 201

support@ldn.de

#### **Emergency telephone number** 1.4.

Country	Organisation/Company	Address	Emergency telephone number
Germany	LDN Labor Diagnostika Nord GmbH & Co. KG	Am Eichenhain 1	05921-81970
		48531 Nordhorn, Germany	(Mo-Fr 8:00-16:00)

# **SECTION 2: Hazards identification**

# Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Corrosive to metals, Category 1 H290 Skin corrosion/irritation, Category 1 H314 Serious eye damage/eye irritation, Category 1 H318

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage.

# Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Danger

Hazard statements (CLP) : H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

: P280 - Wear protective gloves, protective clothing, eye protection. Precautionary statements (CLP)

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor, a POISON CENTER.

P501 - Dispose of contents/container to an authorised waste collection point.

# Safety Data Sheet

according to Regulation (EU) 2020/878

Reduced labelling (contents of the package ≤ 125 ml) according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P280 - Wear protective gloves, protective clothing, eye protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a doctor, a POISON CENTER.

P501 - Dispose of contents/container to an authorised waste collection point.

## 2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5	< 0,5	Met. Corr. 1, H290 Skin Corr. 1A, H314
	(EC Index-No.) 011-002-00-6		Eye Dam. 1, H318

Name	Product identifier	Specific concentration limits according to Regulation (EC) No. 1272/2008 [CLP]
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6	$(0.5 \le C < 2)$ Skin Irrit. 2, H315 $(0.5 \le C < 2)$ Eye Irrit. 2, H319 $(2 \le C < 5)$ Skin Corr. 1B, H314 $(5 \le C \le 100)$ Skin Corr. 1A, H314

Full text of H-statements: see section 16

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell. If possible show him this sheet. Failing this,

show him the packaging or label. Never give anything by mouth to an unconscious person.

Place the affected person in the recovery position.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Call

a physician immediately.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Drink plenty of water as a precaution. Call a physician

immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Causes severe skin burns.

Symptoms/effects after eye contact : Causes serious eye damage.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Adapt extinguishing agents to the environment. Carbon dioxide. Foam. Dry extinguishing

powder. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of : Toxic gases may be formed. Carbon dioxide. Carbon monoxide.

fire

14.07.2023 EN (English) Elution Buffer BA R-8326: 2/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

# 5.3. Advice for firefighters

Firefighting instructions : Prevent firefighting water from entering the environment. Use water spray or fog for cooling

exposed containers.

Protection during firefighting : Use a self-contained breathing apparatus and also a protective suit.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Ensure adequate air ventilation. Avoid contact with skin and eyes. Do

not breathe vapours/spray.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required. In case of inadequate ventilation wear

respiratory protection.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spillage to prevent material damage. Wipe up with absorbent material (for example

cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Dispose of in accordance with relevant local regulations.

## 6.4. Reference to other sections

Exposure controls and personal protection, see section 8. Concerning disposal elimination after cleaning, see section 13.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact

with skin and eyes. Do not breathe vapour/aerosol.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. When using do not

eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Take off contaminated clothing and wash it

before reuse.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Store in original container. Keep

container tightly closed. Store in a cool, well-ventilated place. Protect from heat and direct

sunlight. Keep out of frost. Store locked up.

Prohibitions on mixed storage : Keep away from food, drink and animal feedingstuffs.

Incompatible materials : Metals.

# 7.3. Specific end use(s)

Laboratory reagent, Immunoassays

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

sodium hydroxide; caustic soda (1310-73-2)			
Austria	Local name	Natriumhydroxid	
Austria	MAK (OEL TWA) (mg/m³)	2 mg/m³ (E)	
Austria	MAK (OEL STEL) (ppm)	4 mg/m³ (E)	
Belgium	Local name	Sodium (hydroxyde de) # Natriumhydroxide	
Belgium	OEL TWA (mg/m³)	2 mg/m³	
Belgium	Remark	M	
Switzerland	Local name	Soude caustique / Natriumhydroxid	
Switzerland	MAK (mg/m³)	2 mg/m³ (i) / (e)	
Switzerland	KZGW (mg/m³)	2 mg/m³ (i) / (e)	
Switzerland	Notation (CH)	SS <sub>C</sub>	

sodium hydroxide; caustic soda (1310-73-2)				
DNEL/DMEL (Workers)				
Long-term - local effects, inhalation	1 mg/m³			

14.07.2023 EN (English) Elution Buffer BA R-8326: 3/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

sodium hydroxide; caustic soda (1310-73-2)			
DNEL/DMEL (General population)			
Long-term - local effects, inhalation	1 mg/m³		

#### 8.2. **Exposure controls**

# Appropriate engineering controls:

Provide local exhaust or general room ventilation to minimize vapour concentrations.

## Hand protection:

Wear suitable gloves (EN 374). Nitrile rubber, 0.35 mm. Butyl rubber, 0.5 mm. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

# Eye protection:

Wear safety glasses (EN 166).

# Skin and body protection:

Wear suitable protective clothing.

# Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Breathing apparatus with filter type P2.

# **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties 9.1.

Physical state : Liquid

: No data available Colour Odour : Odourless Melting point/freezing point : No data available : No data available

Boiling point or initial boiling point and boiling

range

: No data available Flammability Lower and upper explosion limit : No data available Flash point : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available рН : 12.5 - 13.3 : No data available Kinematic viscosity Solubility : No data available

Partition coefficient n-octanol/water (log value) : Not applicable No data available Vapour pressure Density and/or relative density : No data available Relative vapour density : No data available Particle size : Not applicable

#### 9.2. Other information

#### Information with regard to physical hazard classes 9.2.1.

Explosive properties : No explosive properties Oxidising properties : No oxidising properties

#### 922 Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

#### 10.2 **Chemical stability**

Stable under use and storage conditions as recommended in section 7.

#### Possibility of hazardous reactions 10.3.

May be corrosive to metals.

14.07.2023 Elution Buffer BA R-8326: 4/7 EN (English)

# Safety Data Sheet

according to Regulation (EU) 2020/878

# 10.4. Conditions to avoid

High temperatures.

# 10.5. Incompatible materials

Strong oxidizing agents. Strong bases. Strong acids. Metals.

# 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. In case of fire: Toxic gases may be formed. Carbon dioxide. Carbon monoxide..

# SECTION 11: Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Not classified

Based on available data, the classification criteria are not met

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: ≥ 11.5

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: ≥ 11.5

Respiratory or skin sensitisation : Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (repeated

exposure)

Not classified

Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Based on available data, the classification criteria are not met

# 11.2. Information on other hazards

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

# sodium hydroxide; caustic soda (1310-73-2)

EC50 crustacea 40.4 mg/l 48 h, Ceriodaphnia sp.

# 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

No additional information available

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

# 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.

Waste treatment methods : Do not empty into drains. Dispose of this material and its container in a safe way.

14.07.2023 EN (English) Elution Buffer BA R-8326: 5/7

# Safety Data Sheet

Waste code

according to Regulation (EU) 2020/878

\_\_\_\_\_

The waste code number according to the Ordinance on the European Waste Catalogue depends on the waste producer and can therefore vary for any given product. The waste code number is therefore to be gleaned separately from each waste producer.

# SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

14.1. UN number or ID number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

# **Overland transport**

Not applicable

# Transport by sea

Not applicable

# Air transport

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

# 15.1.2. National regulations

# Germany

Water hazard class (WGK)

: WGK 1 - Slightly hazardous to water

WGK Remark

: Classification according to AwSV, Annex 1

Storage class (LGK)

: LGK 8B - Non-combustible corrosive substances

Employment restrictions : Employment prohibitions for the protection of young people at work according to § 22 section

1(6) JArbSchG have to be observed.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

14.07.2023 EN (English) Elution Buffer BA R-8326: 6/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

# SECTION 16: Other information

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Changes compared to the previous version

.

# Abbreviations and acronyms:

ADDICVIATIONS 6	nd dolonyms.
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration)
IATA	International Air Transport Association
IMDG	"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea
LC50	Lethal Concentration to 50 % of a test population (Median Lethal Concentration)
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOAEL	Lowest Observed Adverse Effect Level
NOAEC/L	No Observed Adverse Effect Concentration/Level
NOEC/L	No Observed Effect Concentration/Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic substance
PNEC	Predicted No-Effect Concentration
REACH	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
SDS	Safety Data Sheet
STP	Sewage Treatment Plant
UFI	Unique Formula Identifier
vPvB	Very Persistent and Very Bioaccumulative

# Full text of H- and EUH-phrases:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

# SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

14.07.2023 EN (English) Elution Buffer BA R-8326: 7/7



# Safety Data Sheet

according to Regulation (EU) 2020/878

Date of issue: 14.07.2023 Revision date: - Version/Replaced version: 1.0/-

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Standards and Controls BA E-8301, BA E-8302, BA E-8303, BA E-8304, BA E-8305,

BA E-8306, BA E-8351 and BA E-8352

UFI : -

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory reagent, Immunoassays

Use by professionals.

1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Supplier/Manufacturer

LDN Labor Diagnostika Nord GmbH & Co. KG Am Eichenhain 1

48531 Nordhorn, Germany T +49 (0)5921 81970 - F +49 (0)5921 8197 201

support@ldn.de

# 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency telephone number
Germany	LDN Labor Diagnostika Nord GmbH & Co. KG	Am Eichenhain 1	+49 (0) 5921-81970
		48531 Nordhorn, Germany	(Mo-Fr 8:00-16:00)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS05

Signal word (CLP) : Warning

Hazard statements (CLP) : H290 - May be corrosive to metals.

Precautionary statements (CLP) : P234 - Keep only in original packaging.

P390 - Absorb spillage to prevent material damage.

P406 - Store in a corrosion resistant container with a resistant inner liner.

Reduced labelling (contents of the package ≤ 125 ml) according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) : - Signal word (CLP) : -

# Safety Data Sheet

according to Regulation (EU) 2020/878

Hazard statements (CLP) : Precautionary statements (CLP) : -

### 2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
hydrochloric acid %	(EC-No) 231-595-7 (EC Index-No) 017-002-01-X	< 1	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335

Name	Product identifier	Specific concentration limits according to Regulation (EC) No. 1272/2008 [CLP]
hydrochloric acid %	(EC-No) 231-595-7 (EC Index-No) 017-002-01-X	$(10 \le C < 25)$ Skin Irrit. 2, H315 $(10 \le C < 25)$ Eye Irrit. 2, H319 $(10 \le C \le 100)$ STOT SE 3, H335 $(25 \le C \le 100)$ Skin Corr. 1B, H314

Full text of H-statements: see section 16

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell. If possible show him this sheet. Failing this, show him the packaging or label. Never give anything by mouth to an unconscious person.

Place the affected person in the recovery position.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Drink plenty of water as a precaution.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Adapt extinguishing agents to the environment. Carbon dioxide. Foam. Dry extinguishing

powder. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of : Toxic gases may be formed. Carbon dioxide. Carbon monoxide. Hydrogen chloride. Chlorine. fire

# 5.3. Advice for firefighters

Firefighting instructions : Prevent firefighting water from entering the environment. Use water spray or fog for cooling

exposed containers

Protection during firefighting : Use a self-contained breathing apparatus and also a protective suit.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate air ventilation. Avoid contact with skin and eyes. Do not breathe

vapours/spray.

# 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

# Safety Data Sheet

according to Regulation (EU) 2020/878

## 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required. In case of inadequate ventilation wear

respiratory protection.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spillage to prevent material damage. Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Dispose of in accordance with relevant local regulations.

## 6.4. Reference to other sections

Exposure controls and personal protection, see section 8. Concerning disposal elimination after cleaning, see section 13.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact

with skin and eyes. Do not breathe vapour/aerosol.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. When using do not

eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before

eating, drinking or smoking and when leaving work.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Store in original container. Keep

container tightly closed. Store in a cool, well-ventilated place. Protect from direct sunlight. Keep

out of frost.

Prohibitions on mixed storage : Keep away from food, drink and animal feedingstuffs.

Incompatible materials : Metals

# 7.3. Specific end use(s)

Laboratory reagent, Immunoassays

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

EU         Local name         Hydrogen chloride           EU         IOELV TWA (mg/m²)         8 mg/m³           EU         IOELV STEL (mg/m³)         5 ppm           EU         IOELV STEL (ppm)         10 ppm           EU         IOELV STEL (ppm)         10 ppm           Austria         Local name         Chlorwasserstoff           Austria         MAK (OEL TWA) (mg/m³)         8 mg/m³           Austria         MAK (OEL TWA) (ppm)         5 ppm           Austria         MAK (OEL STEL) (mg/m³)         15 mg/m³           Austria         MAK (OEL STEL) (ppm)         10 ppm           Belgium         Local name         Hydrogène (chlorure d') # Waterstofchloride           Belgium         OEL TWA (mg/m³)         8 mg/m³           Belgium         OEL TWA (ppm)         5 ppm           Belgium         OEL TWA (ppm)         5 ppm           Belgium         OEL STEL (mg/m³)         15 mg/m³           Belgium         OEL STEL (mg/m³)         15 mg/m³           Germany         TRGS 900 Occupational Exposure Limit Value (mg/m²)         3 mg/m³           Germany         TRGS 900 Cupational Exposure Limit Value (ppm)         2 ppm           Germany         TRGS 900 Remark         2(l), DFG, EU, Y	Hydrochloric acid % (EC	: 231-595-7)	
EU         IOELV TWA (ppm)         5 ppm           EU         IOELV STEL (mg/m³)         15 mg/m³           EU         IOELV STEL (ppm)         10 ppm           Austria         Local name         Chlorwasserstoff           Austria         MAK (OEL TWA) (mg/m³)         8 mg/m³           Austria         MAK (OEL TWA) (ppm)         5 ppm           Austria         MAK (OEL STEL) (mg/m³)         15 mg/m³           Austria         MAK (OEL STEL) (ppm)         10 ppm           Belgium         Local name         Hydrogène (chlorure d') # Waterstofchloride           Belgium         Cel TWA (mg/m³)         8 mg/m³           Belgium         OEL TWA (mg/m³)         15 mg/m³           Belgium         OEL STEL (mg/m³)         15 mg/m³           Belgium         OEL STEL (mg/m³)         15 mg/m³           Belgium         OEL STEL (mg/m³)         15 mg/m³           Germany         TRGS 900 Local name         Hydrogenchlorid           Germany         TRGS 900 Occupational Exposure Limit Value (mg/m³)         3 mg/m³           Germany         TRGS 900 Remark         2(l), DFG, EU, Y           Luxembourg         Local name         Chlorure d'hydrogène           Luxembourg         OEL TWA (mg/m³)         8 mg/m³ <td>EU</td> <td colspan="2">Local name Hydrogen chloride</td>	EU	Local name Hydrogen chloride	
EU         IOELV STEL (mg/m³)         15 mg/m³           EU         IOELV STEL (ppm)         10 ppm           Austria         Local name         Chlorwasserstoff           Austria         MAK (OEL TWA) (mg/m³)         8 mg/m³           Austria         MAK (OEL STEL) (mg/m³)         5 ppm           Austria         MAK (OEL STEL) (pgm)         15 mg/m³           Austria         MAK (OEL STEL) (ppm)         10 ppm           Belgium         Local name         Hydrogene (chlorure d') # Waterstofchloride           Belgium         OEL TWA (mg/m³)         8 mg/m³           Belgium         OEL TWA (ppm)         5 ppm           Belgium         OEL STEL (mg/m³)         15 mg/m³           Belgium         OEL STEL (mg/m³)         15 mg/m³           Belgium         OEL STEL (ppm)         10 ppm           Germany         TRGS 900 Local name         Hydrogenchlorid           Germany         TRGS 900 Cocupational Exposure Limit Value (mg/m³)         3 mg/m³           Germany         TRGS 900 Remark         2(I), DFG, EU, Y           Luxembourg         DEL TWA (mg/m³)         8 mg/m³           Luxembourg         OEL TWA (mg/m³)         8 mg/m³           Luxembourg         OEL STEL (mg/m³)         15 pg/m³	EU	IOELV TWA (mg/m³)	8 mg/m³
EU     IOELV STEL (ppm)     10 ppm       Austria     Local name     Chlorwasserstoff       Austria     MAK (OEL TWA) (mg/m³)     8 mg/m³       Austria     MAK (OEL TWA) (ppm)     5 ppm       Austria     MAK (OEL STEL) (mg/m³)     15 mg/m³       Austria     MAK (OEL STEL) (ppm)     10 ppm       Belgium     Local name     Hydrogène (chlorure d') # Waterstofchloride       Belgium     OEL TWA (mg/m³)     8 mg/m³       Belgium     OEL TWA (ppm)     5 ppm       Belgium     OEL STEL (mg/m³)     15 mg/m³       Belgium     OEL STEL (ppm)     10 ppm       Germany     TRGS 900 Local name     Hydrogenchlorid       Germany     TRGS 900 Cocupational Exposure Limit Value (mg/m³)     3 mg/m³       Germany     TRGS 900 Occupational Exposure Limit Value (ppm)     2 ppm       Germany     TRGS 900 Remark     2(I), DFG, EU, Y       Luxembourg     Local name     Chlorure d'hydrogène       Luxembourg     OEL TWA (mg/m³)     8 mg/m³       Luxembourg     OEL TWA (ppm)     5 ppm       Luxembourg     OEL TWA (ppm)     5 ppm       Luxembourg     OEL STEL (mg/m³)     15 mg/m³       Luxembourg     OEL STEL (ppm)     10 ppm       Switzerland     Acide chlorhydrique / Chlorwasserstoff [Salzsäu	EU	IOELV TWA (ppm)	5 ppm
Austria Local name Chlorwasserstoff  Austria MAK (OEL TWA) (mg/m³) 8 mg/m³  Austria MAK (OEL TWA) (ppm) 5 ppm  Austria MAK (OEL STEL) (mg/m³) 15 mg/m³  Austria MAK (OEL STEL) (ppm) 10 ppm  Belgium Local name Hydrogène (chlorure d') # Waterstofchloride  Belgium OEL TWA (mg/m³) 8 mg/m³  Belgium OEL TWA (ppm) 5 ppm  Belgium OEL STEL (mg/m³) 15 mg/m³  Belgium OEL STEL (mg/m³) 15 mg/m³  Belgium OEL STEL (ppm) 10 ppm  Germany TRGS 900 Local name Hydrogenchlorid  Germany TRGS 900 Occupational Exposure Limit Value (mg/m³) 3 mg/m³  Germany TRGS 900 Occupational Exposure Limit Value (ppm) 2 ppm  Germany TRGS 900 Remark 2(I), DFG, EU, Y  Luxembourg Local name Chlorure d'hydrogène  Luxembourg OEL TWA (mg/m³) 8 mg/m³  Luxembourg OEL STEL (mg/m³) 15 mg/m³  Luxembourg OEL STEL (ppm) 10 ppm	EU	IOELV STEL (mg/m³)	15 mg/m³
Austria MAK (OEL TWA) (mg/m³) 8 mg/m³  Austria MAK (OEL TWA) (ppm) 5 ppm  Austria MAK (OEL STEL) (mg/m³) 15 mg/m³  Austria MAK (OEL STEL) (ppm) 10 ppm  Belgium Local name Hydrogene (chlorure d') # Waterstofchloride  Belgium OEL TWA (mg/m³) 8 mg/m³  Belgium OEL TWA (ppm) 5 ppm  Belgium OEL STEL (mg/m³) 15 mg/m³  Belgium OEL STEL (mg/m³) 15 mg/m³  Belgium OEL STEL (ppm) 10 ppm  Germany TRGS 900 Local name Hydrogenchlorid  Germany TRGS 900 Occupational Exposure Limit Value (mg/m³) 2 ppm  Germany TRGS 900 Occupational Exposure Limit Value (ppm) 2 ppm  Germany TRGS 900 Remark 2 (I), DFG, EU, Y  Luxembourg DEL TWA (mg/m³) 8 mg/m³  Luxembourg OEL TWA (mg/m³) 5 ppm  Luxembourg OEL TWA (ppm) 5 ppm  Luxembourg OEL TWA (ppm) 5 ppm  Luxembourg OEL STEL (mg/m³) 15 mg/m³  Luxembourg OEL STEL (ppm) 10 ppm  Switzerland Local name Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	EU	IOELV STEL (ppm)	10 ppm
Austria MAK (OEL TWA) (ppm) 5 ppm Austria MAK (OEL STEL) (mg/m³) 15 mg/m³ Austria MAK (OEL STEL) (ppm) 10 ppm Belgium Local name Hydrogène (chlorure d') # Waterstofchloride Belgium OEL TWA (mg/m³) 8 mg/m³ Belgium OEL TWA (ppm) 5 ppm Belgium OEL STEL (mg/m³) 15 mg/m³ Belgium OEL STEL (mg/m³) 15 mg/m³ Belgium OEL STEL (ppm) 10 ppm Germany TRGS 900 Local name Hydrogenchlorid Germany TRGS 900 Occupational Exposure Limit Value (mg/m³) 2 ppm Germany TRGS 900 Remark 2 (l), DFG, EU, Y Luxembourg Local name Chlorure d'hydrogène Luxembourg OEL TWA (mg/m³) 5 ppm Luxembourg OEL TWA (ppm) 5 ppm Luxembourg OEL STEL (mg/m³) 15 mg/m³ Luxembourg OEL STEL (ppm) 10 ppm Switzerland Local name Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Austria	Local name	Chlorwasserstoff
AustriaMAK (OEL STEL) (mg/m³)15 mg/m³AustriaMAK (OEL STEL) (ppm)10 ppmBelgiumLocal nameHydrogène (chlorure d') # WaterstofchlorideBelgiumOEL TWA (mg/m³)8 mg/m³BelgiumOEL TWA (ppm)5 ppmBelgiumOEL STEL (mg/m³)15 mg/m³BelgiumOEL STEL (ppm)10 ppmGermanyTRGS 900 Local nameHydrogenchloridGermanyTRGS 900 Occupational Exposure Limit Value (mg/m³)3 mg/m³GermanyTRGS 900 Occupational Exposure Limit Value (ppm)2 ppmGermanyTRGS 900 Remark2(l), DFG, EU, YLuxembourgLocal nameChlorure d'hydrogèneLuxembourgOEL TWA (mg/m³)8 mg/m³LuxembourgOEL TWA (ppm)5 ppmLuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (ppm)10 ppmSwitzerlandAcide chlorhydrique / Chlorwasserstoff [Salzsäure]	Austria	MAK (OEL TWA) (mg/m³)	8 mg/m³
Austria MAK (OEL STEL) (ppm) 10 ppm  Belgium Local name Hydrogène (chlorure d') # Waterstofchloride  Belgium OEL TWA (mg/m³) 8 mg/m³  Belgium OEL TWA (ppm) 5 ppm  Belgium OEL STEL (mg/m³) 15 mg/m³  Belgium OEL STEL (ppm) 10 ppm  Germany TRGS 900 Local name Hydrogenchlorid  Germany TRGS 900 Occupational Exposure Limit Value (mg/m³) 2 ppm  Germany TRGS 900 Occupational Exposure Limit Value (ppm) 2 ppm  Germany TRGS 900 Remark 2(I), DFG, EU, Y  Luxembourg Local name Chlorure d'hydrogène  Luxembourg OEL TWA (mg/m³) 8 mg/m³  Luxembourg OEL TWA (ppm) 5 ppm  Luxembourg OEL STEL (mg/m³) 15 mg/m³  Luxembourg OEL STEL (mg/m³) 15 mg/m³  Luxembourg OEL STEL (ppm) 10 ppm  Switzerland Local name Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Austria	MAK (OEL TWA) (ppm)	5 ppm
BelgiumLocal nameHydrogène (chlorure d') # WaterstofchlorideBelgiumOEL TWA (mg/m³)8 mg/m³BelgiumOEL TWA (ppm)5 ppmBelgiumOEL STEL (mg/m³)15 mg/m³BelgiumOEL STEL (ppm)10 ppmGermanyTRGS 900 Local nameHydrogenchloridGermanyTRGS 900 Occupational Exposure Limit Value (mg/m³)3 mg/m³GermanyTRGS 900 Occupational Exposure Limit Value (ppm)2 ppmGermanyTRGS 900 Remark2(I), DFG, EU, YLuxembourgLocal nameChlorure d'hydrogèneLuxembourgOEL TWA (mg/m³)8 mg/m³LuxembourgOEL TWA (ppm)5 ppmLuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (ppm)10 ppmSwitzerlandLocal nameAcide chlorhydrique / Chlorwasserstoff [Salzsäure]	Austria	MAK (OEL STEL) (mg/m³)	15 mg/m³
Belgium OEL TWA (mg/m³) 8 mg/m³  Belgium OEL TWA (ppm) 5 ppm  Belgium OEL STEL (mg/m³) 15 mg/m³  Belgium OEL STEL (ppm) 10 ppm  Germany TRGS 900 Local name Hydrogenchlorid  Germany TRGS 900 Occupational Exposure Limit Value (mg/m³) 2 ppm  Germany TRGS 900 Occupational Exposure Limit Value (ppm) 2 ppm  Germany TRGS 900 Remark 2(I), DFG, EU, Y  Luxembourg Local name Chlorure d'hydrogène  Luxembourg OEL TWA (mg/m³) 8 mg/m³  Luxembourg OEL TWA (ppm) 5 ppm  Luxembourg OEL STEL (mg/m³) 15 mg/m³  Luxembourg OEL STEL (mg/m³) 15 mg/m³  Luxembourg OEL STEL (ppm) 10 ppm  Switzerland Local name Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Austria	MAK (OEL STEL) (ppm)	10 ppm
BelgiumOEL TWA (ppm)5 ppmBelgiumOEL STEL (mg/m³)15 mg/m³BelgiumOEL STEL (ppm)10 ppmGermanyTRGS 900 Local nameHydrogenchloridGermanyTRGS 900 Occupational Exposure Limit Value (mg/m³)3 mg/m³GermanyTRGS 900 Occupational Exposure Limit Value (ppm)2 ppmGermanyTRGS 900 Remark2(I), DFG, EU, YLuxembourgLocal nameChlorure d'hydrogèneLuxembourgOEL TWA (mg/m³)8 mg/m³LuxembourgOEL TWA (ppm)5 ppmLuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (ppm)10 ppmSwitzerlandLocal nameAcide chlorhydrique / Chlorwasserstoff [Salzsäure]	Belgium	Local name	Hydrogène (chlorure d') # Waterstofchloride
BelgiumOEL STEL (mg/m³)15 mg/m³BelgiumOEL STEL (ppm)10 ppmGermanyTRGS 900 Local nameHydrogenchloridGermanyTRGS 900 Occupational Exposure Limit Value (mg/m³)3 mg/m³GermanyTRGS 900 Occupational Exposure Limit Value (ppm)2 ppmGermanyTRGS 900 Remark2(I), DFG, EU, YLuxembourgLocal nameChlorure d'hydrogèneLuxembourgOEL TWA (mg/m³)8 mg/m³LuxembourgOEL TWA (ppm)5 ppmLuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (ppm)10 ppmSwitzerlandLocal nameAcide chlorhydrique / Chlorwasserstoff [Salzsäure]	Belgium	OEL TWA (mg/m³)	8 mg/m³
BelgiumOEL STEL (ppm)10 ppmGermanyTRGS 900 Local nameHydrogenchloridGermanyTRGS 900 Occupational Exposure Limit Value (mg/m³)3 mg/m³GermanyTRGS 900 Occupational Exposure Limit Value (ppm)2 ppmGermanyTRGS 900 Remark2(I), DFG, EU, YLuxembourgLocal nameChlorure d'hydrogèneLuxembourgOEL TWA (mg/m³)8 mg/m³LuxembourgOEL TWA (ppm)5 ppmLuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (ppm)10 ppmSwitzerlandLocal nameAcide chlorhydrique / Chlorwasserstoff [Salzsäure]	Belgium	OEL TWA (ppm)	5 ppm
Germany TRGS 900 Local name Hydrogenchlorid 3 mg/m³  Germany TRGS 900 Occupational Exposure Limit Value (mg/m³) 2 ppm  Germany TRGS 900 Occupational Exposure Limit Value (ppm) 2 ppm  Germany TRGS 900 Remark 2(I), DFG, EU, Y  Luxembourg Local name Chlorure d'hydrogène  Luxembourg OEL TWA (mg/m³) 8 mg/m³  Luxembourg OEL TWA (ppm) 5 ppm  Luxembourg OEL STEL (mg/m³) 15 mg/m³  Luxembourg OEL STEL (ppm) 10 ppm  Switzerland Local name Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Belgium	OEL STEL (mg/m³)	15 mg/m³
Germany  TRGS 900 Occupational Exposure Limit Value (mg/m³)  Germany  TRGS 900 Occupational Exposure Limit Value (ppm)  Germany  TRGS 900 Remark  2(I), DFG, EU, Y  Luxembourg  Local name  Chlorure d'hydrogène  Luxembourg  OEL TWA (mg/m³)  8 mg/m³  Luxembourg  OEL TWA (ppm)  5 ppm  Luxembourg  OEL STEL (mg/m³)  15 mg/m³  Luxembourg  OEL STEL (ppm)  Switzerland  Local name  Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Belgium	OEL STEL (ppm)	10 ppm
GermanyTRGS 900 Occupational Exposure Limit Value (ppm)2 ppmGermanyTRGS 900 Remark2(I), DFG, EU, YLuxembourgLocal nameChlorure d'hydrogèneLuxembourgOEL TWA (mg/m³)8 mg/m³LuxembourgOEL TWA (ppm)5 ppmLuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (ppm)10 ppmSwitzerlandLocal nameAcide chlorhydrique / Chlorwasserstoff [Salzsäure]	Germany	TRGS 900 Local name	Hydrogenchlorid
GermanyTRGS 900 Remark2(I), DFG, EU, YLuxembourgLocal nameChlorure d'hydrogèneLuxembourgOEL TWA (mg/m³)8 mg/m³LuxembourgOEL TWA (ppm)5 ppmLuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (ppm)10 ppmSwitzerlandLocal nameAcide chlorhydrique / Chlorwasserstoff [Salzsäure]	Germany	l ' '	3 mg/m³
Luxembourg       Local name       Chlorure d'hydrogène         Luxembourg       OEL TWA (mg/m³)       8 mg/m³         Luxembourg       OEL TWA (ppm)       5 ppm         Luxembourg       OEL STEL (mg/m³)       15 mg/m³         Luxembourg       OEL STEL (ppm)       10 ppm         Switzerland       Local name       Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Germany	TRGS 900 Occupational Exposure Limit Value (ppm)	2 ppm
Luxembourg       OEL TWA (mg/m³)       8 mg/m³         Luxembourg       OEL TWA (ppm)       5 ppm         Luxembourg       OEL STEL (mg/m³)       15 mg/m³         Luxembourg       OEL STEL (ppm)       10 ppm         Switzerland       Local name       Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Germany	TRGS 900 Remark	2(I), DFG, EU, Y
Luxembourg         OEL TWA (ppm)         5 ppm           Luxembourg         OEL STEL (mg/m³)         15 mg/m³           Luxembourg         OEL STEL (ppm)         10 ppm           Switzerland         Local name         Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Luxembourg	Local name	Chlorure d'hydrogène
Luxembourg     OEL STEL (mg/m³)     15 mg/m³       Luxembourg     OEL STEL (ppm)     10 ppm       Switzerland     Local name     Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Luxembourg	OEL TWA (mg/m³)	8 mg/m³
Luxembourg     OEL STEL (ppm)     10 ppm       Switzerland     Local name     Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Luxembourg	OEL TWA (ppm)	5 ppm
Switzerland Local name Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Luxembourg	OEL STEL (mg/m³)	15 mg/m³
	Luxembourg	OEL STEL (ppm)	10 ppm
Switzerland MAK (mg/m³) 3 mg/m³	Switzerland	Local name	Acide chlorhydrique / Chlorwasserstoff [Salzsäure]
	Switzerland	MAK (mg/m³)	3 mg/m³

# Safety Data Sheet

according to Regulation (EU) 2020/878

Hydrochloric acid % (EC 231-595-7)		
Switzerland	MAK (ppm)	2 ppm
Switzerland	KZGW (mg/m³)	6 mg/m³
Switzerland	KZGW (ppm)	4 ppm
Switzerland	Notation	SSC

Hydrochloric acid % (EC 231-595-7)		
DNEL/DMEL (Workers)		
Acute - local effects, inhalation	15 mg/m³	
Long-term - local effects, inhalation 8 mg/m³		
DNEL/DMEL (General population)		
Acute - local effects, inhalation	15 mg/m³	
Long-term - local effects, inhalation	8 mg/m³	

#### 8.2. **Exposure controls**

# Appropriate engineering controls:

Provide local exhaust or general room ventilation to minimize vapour concentrations.

# Hand protection:

Wear suitable gloves (EN 374). Nitrile rubber, 0.35 mm. Butyl rubber, 0.5 mm. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

# Eye protection:

Wear safety glasses (EN 166).

# Skin and body protection:

Wear suitable protective clothing.

# Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Breathing apparatus with filter type P2.

# **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

9.1.	Information	on basic	physical	and	chemical	properties

Physical state : Liquid Colour : Colourless Odour : No data available Melting point/freezing point : No data available Boiling point or initial boiling point and boiling : No data available

range

Flammability : No data available Lower and upper explosion limit : No data available : No data available Flash point Auto-ignition temperature : No data available Decomposition temperature : No data available : 1.0 - 1.3

Kinematic viscosity : No data available : No data available Solubility Partition coefficient n-octanol/water (log value) : Not applicable Vapour pressure : No data available Density and/or relative density : No data available Relative vapour density : No data available Particle size : Not applicable

# Safety Data Sheet

according to Regulation (EU) 2020/878

## 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosive properties : No explosive properties

Oxidising properties : No oxidising properties

9.2.2. Other safety characteristics No additional information available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

# 10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

# 10.3. Possibility of hazardous reactions

May be corrosive to metals.

# 10.4. Conditions to avoid

High temperatures.

## 10.5. Incompatible materials

Strong oxidizing agents. Strong bases. Strong acids. Metals.

## 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. In case of fire: Toxic gases may be formed. Carbon dioxide. Carbon monoxide. Hydrogen chloride. Chlorine.

# SECTION 11: Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Not classified

Based on available data, the classification criteria are not met

Hydrochloric acid % (EC 231-595-7)	
LC50 inhalation rat	7051 mg/m³ 30 min
Skin corrosion/irritation	: Not classified
	Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
	Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
	Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
	Based on available data, the classification criteria are not met
11.2. Information on other hazards	
Potential adverse human health effects and	: Based on available data, the classification criteria are not met

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

symptoms

# Safety Data Sheet

according to Regulation (EU) 2020/878

Hydrochloric acid % (EC 231-595-7)	
LC50 fish	pH 3.25 – 3.5 96 h, Lepomis macrochirus
EC50 crustacea	pH 4.92 48 h, Daphnia magna
EC50 algae	pH 4.7 72 h, Chlorella vulgaris

# 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

No additional information available

# 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

# 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.

Waste treatment methods : Do not empty into drains. Dispose of this material and its container in a safe way.

Waste code : The waste code number according to the Ordinance on the European Waste Catalogue

depends on the waste producer and can therefore vary for any given product. The waste code

number is therefore to be gleaned separately from each waste producer.

# SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

# 14.1. UN number or ID number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable

# 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

# 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

# Safety Data Sheet

according to Regulation (EU) 2020/878

# 14.6. Special precautions for user

# **Overland transport**

Not applicable

# Transport by sea

Not applicable

# Air transport

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

## 15.1.2. National regulations

## Germany

Water hazard class (WGK) : WGK 1 - Slightly hazardous to water
WGK Remark : Classification according to AwSV, Annex 1

Storage class (LGK) : LGK 10 - 13

Employment restrictions : Employment prohibitions for the protection of young people at work according to § 22 section

1(6) JArbSchG have to be observed.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Changes compared to the previous version : -

# Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration)
IATA	International Air Transport Association
IMDG	"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea
LC50	Lethal Concentration to 50 % of a test population (Median Lethal Concentration)
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOAEL	Lowest Observed Adverse Effect Level
NOAEC/L	No Observed Adverse Effect Concentration/Level
NOEC/L	No Observed Effect Concentration/Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic substance
PNEC	Predicted No-Effect Concentration
REACH	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
SDS	Safety Data Sheet
STP	Sewage Treatment Plant
UFI	Unique Formula Identifier

# Safety Data Sheet

according to Regulation (EU) 2020/878

vPvB	Very Persistent and Very Bioaccumulative

# Full text of H- and EUH-phrases:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

# SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.