

Revision date: 11.08.2023 Date of issue: 11.08.2023

Version/Replaced version: 07/06

# The Safety Data Sheet is usable for:

REF	Name
BA E-8400	Metanephrine Urine ELISA Fast Track
BA E-8400R	Metanephrine Urine ELISA Fast Track
BA E-8500	Normetanephrine Urine ELISA Fast Track
BA E-8500R	Normetanephrine Urine ELISA Fast Track
BA E-8600	2-MET Urine ELISA Fast Track
BA E-8600R	2-MET Urine ELISA Fast Track

# Single components with dangerous ingredients:

REF	Name	
BA E-0080	Stop Solution	STOP-SOLN
BA R-0012	Acylation Concentrate	ACYL-CONC
BA R-8619	Hydrochloric Acid	HCL
Standards and C	Controls:	
BA R-8601	Standard A	STANDARD A
BA R-8602	Standard B	STANDARD B
BA R-8603	Standard C	STANDARD C
BA R-8604	Standard D	STANDARD D
BA R-8605	Standard E	STANDARD E
BA R-8606	Standard F	STANDARD F
BA R-8651	Control 1	CONTROL 1
BA R-8652	Control 2	CONTROL 2

Not listed single components contain no hazardous substances in concentrations to be declared, a labelling is not required.



# Safety Data Sheet

according to Regulation (EU) 2020/878

Date of issue: 14.07.2023 Revision date: - Version/Replaced version: 1.0/-

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Stop Solution BA E-0080

UFI : -

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory reagent, Immunoassays

Use by professionals.

1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

Supplier/Manufacturer

LDN Labor Diagnostika Nord GmbH & Co. KG Am Eichenhain 1

48531 Nordhorn, Germany T +49 (0)5921 81970 - F +49 (0)5921 8197 201

support@ldn.de

# 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency telephone number
Germany	LDN Labor Diagnostika Nord GmbH & Co. KG	Am Eichenhain 1	+49 (0) 5921-81970
		48531 Nordhorn, Germany	(Mo-Fr 8:00-16:00)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]
Corrosive to metals, Category 1 H290

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals.

# 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Warning

Hazard statements (CLP) : H290 - May be corrosive to metals.

Precautionary statements (CLP) : P234 - Keep only in original packaging.

P390 - Absorb spillage to prevent material damage.

P406 - Store in a corrosion resistant container with a resistant inner liner.

Reduced labelling (contents of the package ≤ 125 ml) according to Regulation (EC) No. 1272/2008 [CLP]

# 2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

14.07.2023 EN (English) Stop Solution BA E-0080: 1/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sulphuric acid	(CAS-No.) 7664-93-9 (EC-No.) 231-639-5 (EC Index-No.) 016-020-00-8	< 5	Met. Corr. 1, H290 Skin Corr. 1A, H314

Name	Product identifier	Specific concentration limits according to Regulation (EC) No. 1272/2008 [CLP]
Sulphuric acid	(CAS-No.) 7664-93-9 (EC-No.) 231-639-5 (EC Index-No.) 016-020-00-8	(5 ≤ C < 15) Eye Irrit. 2, H319 (5 ≤ C < 15) Skin Irrit. 2, H315 (C ≥ 15) Skin Corr. 1A, H314

Full text of H-statements: see section 16

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell. If possible show him this sheet. Failing this,

show him the packaging or label. Never give anything by mouth to an unconscious person.

Place the affected person in the recovery position.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Drink plenty of water as a precaution.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Adapt extinguishing agents to the environment. Carbon dioxide. Foam. Dry extinguishing

powder. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of : Toxic gases may be formed. Carbon dioxide. Carbon monoxide.

fire

5.3. Advice for firefighters

Firefighting instructions : Prevent firefighting water from entering the environment. Use water spray or fog for cooling

exposed containers.

Protection during firefighting : Use a self-contained breathing apparatus and also a protective suit.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate air ventilation. Avoid contact with skin and eyes. Do not breathe

vapours/spray.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required. In case of inadequate ventilation wear

respiratory protection.

# 6.2. Environmental precautions

Prevent entry to sewers and public waters.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spillage to prevent material damage. Wipe up with absorbent material (for example

cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Dispose of in accordance with relevant local regulations.

14.07.2023 EN (English) Stop Solution BA E-0080: 2/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

# 6.4. Reference to other sections

Exposure controls and personal protection, see section 8. Concerning disposal elimination after cleaning, see section 13.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station.

: Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact

with skin and eyes. Do not breathe vapour/aerosol.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. When using do not

eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before

eating, drinking or smoking and when leaving work.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Store in original container. Keep

container tightly closed. Store in a cool, well-ventilated place. Protect from direct sunlight. Keep

out of frost

Prohibitions on mixed storage : Keep away from food, drink and animal feedingstuffs.

Incompatible materials : Metals.

7.3. Specific end use(s)Laboratory reagent, Immunoassays

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Sulphuric acid (7664-93-9)			
EU	Local name	Sulphuric acid (mist)	
EU	IOEL TWA	0.05 mg/m³	
Austria	Local name	Schwefelsäure	
Austria	MAK (OEL TWA) (mg/m³)	0.1 E mg/m³	
Austria	MAK (OEL STEL) (mg/m³)	0.2 E mg/m³	
Belgium	Local name	Acide sulfurique (brume) # Zwavelzuur (nevel)	
Belgium	OEL TWA (mg/m³)	0.2 mg/m³	
Belgium	Remark	С	
Germany	TRGS 900 Local name	Schwefelsäure	
Germany	TRGS 900 Occupational Exposure Limit Value (mg/m³)	0.1 E mg/m³	
Germany	TRGS 900 Remark	1(I), DFG, EU, Y	
Luxembourg	Local name	Acide sulfurique (brume)	
Luxembourg	OEL STEL (mg/m³)	0.05 mg/m³	
Switzerland	Local name	Schwefelsäure	
Switzerland	MAK (mg/m³)	0.1 e mg/m³	
Switzerland	KZGW (mg/m³)	0.2 e mg/m³	
Switzerland	Notation	C1 <sup>#</sup> A, SSc	

# 8.2. Exposure controls

# Appropriate engineering controls:

Provide local exhaust or general room ventilation to minimize vapour concentrations.

# Hand protection:

Wear suitable gloves (EN 374). Nitrile rubber, 0.35 mm. Butyl rubber, 0.5 mm. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

# Eye protection:

Wear safety glasses (EN 166).

# Skin and body protection:

Wear suitable protective clothing.

# Respiratory protection:

14.07.2023 EN (English) Stop Solution BA E-0080: 3/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Breathing apparatus with filter type P2.

# **Environmental exposure controls:**

Avoid release to the environment.

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless Odour : No data available : No data available Melting point/freezing point Boiling point or initial boiling point and boiling : No data available

range

Flammability : No data available Lower and upper explosion limit : No data available Flash point : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available

рΗ : < 1.0

Kinematic viscosity : No data available : No data available Solubility Partition coefficient n-octanol/water (log value) : Not applicable : No data available Vapour pressure Density and/or relative density : No data available : No data available Relative vapour density Particle size : Not applicable

### 9.2. Other information

### Information with regard to physical hazard classes 921

Explosive properties : No explosive properties Oxidising properties : No oxidising properties

### Other safety characteristics 922

No additional information available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

### 10.2. **Chemical stability**

Stable under use and storage conditions as recommended in section 7.

### Possibility of hazardous reactions 10.3.

May be corrosive to metals.

### 10.4. Conditions to avoid

High temperatures.

# Incompatible materials

Strong oxidizing agents. Strong bases. Strong acids. Metals.

### 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. In case of fire: Toxic gases may be formed. Carbon dioxide. Carbon monoxide.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met

Sulphuric acid (7664-93-9)		
LD50 oral rat	2140 mg/kg	
LC50 inhalation rat	375 mg/m³	

Skin corrosion/irritation : Not classified

Based on available data, the classification criteria are not met

14.07.2023 EN (English) Stop Solution BA E-0080: 4/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

Serious eye damage/irritation : Not classified

Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (repeated

exposure)

: Not classified

Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Based on available data, the classification criteria are not met

11.2. Information on other hazards

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

## , ,

# SECTION 12: Ecological information

# 12.1. Toxicity

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

Sulphuric acid (7664-93-9)		
LC50 fish	> 16 - < 28 mg/l 96 h, Lepomis macrochirus	
EC50 crustacea	> 100 mg/l 48 h, Daphnia magna	
EC50 algae	> 100 mg/l 72 h, Desmodesmus subspicatus	
NOEC chronic fish	0.31 mg/l 213 d, Salvelinus fontinalis	
NOEC chronic crustacea	0.15 mg/l, Tanytarsus dissimilis	

# 12.2. Persistence and degradability

Not required for inorganic substances.

# 12.3. Bioaccumulative potential

Not required for inorganic substances.

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

# 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

No additional information available

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.

Waste treatment methods : Do not empty into drains. Dispose of this material and its container in a safe way.

Waste code : The waste code number according to the Ordinance on the European Waste Catalogue

depends on the waste producer and can therefore vary for any given product. The waste code number is therefore to be gleaned separately from each waste producer.

SECTION 14: Transport information

# la a candana a with ADD / IMDO / IATA

In accordance with ADR / IMDG / IATA

# 14.1. UN number or ID number

UN-No. (ADR) : Not applicable UN-No. (IMDG) : Not applicable UN-No. (IATA) : Not applicable

14.07.2023 EN (English) Stop Solution BA E-0080: 5/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

# 14.6. Special precautions for user

# **Overland transport**

Not applicable

# Transport by sea

Not applicable

# Air transport

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

# 15.1.2. National regulations

# Germany

Water hazard class (WGK) : WGK 1 - Slightly hazardous to water
WGK Remark : Classification according to AwSV, Annex 1

Storage class (LGK) : LGK 10 - 13

Employment restrictions : Employment prohibitions for the protection of young people at work according to § 22 section

1(6) JArbSchG have to be observed.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Changes compared to the previous version :

Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

# Safety Data Sheet

according to Regulation (EU) 2020/878

DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration)
IATA	International Air Transport Association
IMDG	"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea
LC50	Lethal Concentration to 50 % of a test population (Median Lethal Concentration)
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOAEL	Lowest Observed Adverse Effect Level
NOAEC/L	No Observed Adverse Effect Concentration/Level
NOEC/L	No Observed Effect Concentration/Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic substance
PNEC	Predicted No-Effect Concentration
REACH	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
SDS	Safety Data Sheet
STP	Sewage Treatment Plant
UFI	Unique Formula Identifier
vPvB	Very Persistent and Very Bioaccumulative

# Full text of H- and EUH-phrases:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

# SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

14.07.2023 EN (English) Stop Solution BA E-0080: 7/7



# Safety Data Sheet

according to Regulation (EU) 2020/878

Date of issue: 14.07.2023 Revision date: - Version/Replaced version: 1.0/-

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Product name : Acylation Concentrate BA R-0012

Substance name : Caproic anhydride IUPAC name : Hexanoic anhydride

EC-No. : 218-121-4 CAS-No. : 2051-49-2 Chemical formula : C12H22O3

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory reagent, Immunoassays

Use by professionals.

1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

Supplier/Manufacturer

LDN Labor Diagnostika Nord GmbH & Co. KG Am Eichenhain 1 48531 Nordhorn, Germany T +49 (0)5921 81970 - F +49 (0)5921 8197 201

support@ldn.de

# 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency telephone number
Germany	LDN Labor Diagnostika Nord GmbH & Co. KG	Am Eichenhain 1	05921-81970
		48531 Nordhorn, Germany	(Mo-Fr 8:00-16:00)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1A H317

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction.

# 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

(1)

GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

Precautionary statements (CLP) : P261 - Avoid breathing mist/vapours/spray.

P280 - Wear protective gloves.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P501 - Dispose of contents/container to an authorised waste collection point.

14.07.2023

# Safety Data Sheet

according to Regulation (EU) 2020/878

Reduced labelling (contents of the package ≤ 125 ml) according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Warning

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

Precautionary statements (CLP) : P261 - Avoid breathing mist/vapours/spray.

P280 - Wear protective gloves.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse. P501 - Dispose of contents/container to an authorised waste collection point.

# 2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# SECTION 3: Composition/information on ingredients

## 3.1. Substances

Substance name : Caproic anhydride

EC-No. : 218-121-4 CAS-No. : 2051-49-2

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Caproic anhydride	(CAS-No.) 2051-49-2 (EC-No.) 218-121-4	100	Skin Sens. 1A, H317

Full text of H-statements: see section 16

# 3.2. Mixtures

Not applicable

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell. If possible show him this sheet. Failing this,

show him the packaging or label. Never give anything by mouth to an unconscious person.

Place the affected person in the recovery position.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not

breathing, give artificial respiration

First-aid measures after skin contact : Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If

skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Drink plenty of water as a precaution.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Adapt extinguishing agents to the environment. Carbon dioxide. Foam. Dry extinguishing

powder. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of : Toxic gases may be formed. Carbon dioxide. Carbon monoxide.

fire

# 5.3. Advice for firefighters

Firefighting instructions : Prevent firefighting water from entering the environment. Use water spray or fog for cooling

exposed containers.

Protection during firefighting : Use a self-contained breathing apparatus and also a protective suit.

14.07.2023 EN (English) Acylation Concentrate BA R-0012: 2/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

# **SECTION 6: Accidental release measures**

# Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Ensure adequate air ventilation. Avoid contact with skin and eyes. Do

not breathe vapours/spray.

For non-emergency personnel 6.1.1.

**Emergency procedures** : Evacuate unnecessary personnel.

612 For emergency responders

Protective equipment : Use personal protective equipment as required. In case of inadequate ventilation wear

respiratory protection.

### **Environmental precautions** 6.2.

Prevent entry to sewers and public waters.

# Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as

clay or diatomaceous earth as soon as possible. Dispose of in accordance with relevant local

regulations.

### 64 Reference to other sections

Exposure controls and personal protection, see section 8. Concerning disposal elimination after cleaning, see section 13.

# **SECTION 7: Handling and storage**

### Precautions for safe handling 7.1.

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact

with skin and eyes. Do not breathe vapour/aerosol.

: Handle in accordance with good industrial hygiene and safety procedures. When using do not Hygiene measures eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before

eating, drinking or smoking and when leaving work. Take off contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace.

# Conditions for safe storage, including any incompatibilities

Storage conditions Store in original container. Keep container tightly closed. Store in a cool, well-ventilated place.

Protect from direct sunlight.

Prohibitions on mixed storage : Keep away from food, drink and animal feedingstuffs.

### 7.3. Specific end use(s)

Laboratory reagent, Immunoassays

# SECTION 8: Exposure controls/personal protection

### 8.1. **Control parameters**

Caproic anhydride (2051-49-2)		
PNEC (Water)	PNEC (Water)	
PNEC aqua (freshwater)	88 μg/l	
PNEC aqua (marine water)	8.8 µg/l	
PNEC aqua (intermittent, freshwater)	888 µg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	7.77 mg/kg dwt	
PNEC sediment (marine water)	0.78 mg/kg dwt	
PNEC (Soil)		
PNEC soil 1.5 mg/kg dwt		
PNEC (STP)		
PNEC sewage treatment plant	100 mg/l	

### 8.2. **Exposure controls**

# Appropriate engineering controls:

Provide local exhaust or general room ventilation to minimize vapour concentrations.

# Hand protection:

Wear suitable gloves (EN 374). Nitrile rubber, 0.35 mm. Butyl rubber, 0.5 mm. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

# Eye protection:

Wear safety glasses (EN 166).

14.07.2023 EN (English) Acylation Concentrate BA R-0012: 3/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

# Skin and body protection:

Wear suitable protective clothing.

# Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Breathing apparatus with filter type A.

# **Environmental exposure controls:**

Avoid release to the environment.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : No data available
Odour : No data available

Melting point/freezing point : -41 °C
Boiling point or initial boiling point and boiling : 267 °C

range

Flammability : No data available Lower and upper explosion limit : No data available

Flash point : 129 °C

Auto-ignition temperature : 260 °C (1015 hPa)

Decomposition temperature : No data available

pH : No data available

Kinematic viscosity : No data available

Solubility : Water: 10.82 g/L (20 °C)

Partition coefficient n-octanol/water (log value) : No data available

Vapour pressure : No data available

Density and/or relative density : 0.924 (15 °C)

Relative vapour density : 2.9 Pa (25 °C)

Particle size : Not applicable

# 9.2. Other information

# 9.2.1. Information with regard to physical hazard classes

Explosive properties : No explosive properties

Oxidising properties : No oxidising properties

# 9.2.2. Other safety characteristics

No additional information available

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

# 10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

# 10.3. Possibility of hazardous reactions

None under normal use.

# 10.4. Conditions to avoid

High temperatures.

# 10.5. Incompatible materials

Strong oxidizing agents. Strong bases. Strong acids.

# 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. In case of fire: Toxic gases may be formed. Carbon dioxide. Carbon monoxide.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Not classified

Based on available data, the classification criteria are not met

Skin corrosion/irritation : Not classified

Based on available data, the classification criteria are not met

14.07.2023 EN (English) Acylation Concentrate BA R-0012: 4/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

Serious eye damage/irritation : Not classified

Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (repeated

Not classified

exposure)

Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Based on available data, the classification criteria are not met

11.2. Information on other hazards

Potential adverse human health effects and

: Based on available data, the classification criteria are not met

symptoms

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

Caproic anhydride (2051-49-2)	
LC50 fish	88 mg/l 96 h, Pimephales promelas
EC50 crustacea	> 100 mg/l 48 h, Daphnia magna
ECr50 algae	> 100 mg/l 72 h, Desmodesmus subspicatus
NOEC chronic algae	> 100 mg/l 3 h, Activated sludge

# 12.2. Persistence and degradability

Caproic anhydride (2051-49-2)	
Persistence and degradability Readily biodegradable.	
Biodegradation	77 %, 28 d

# 12.3. Bioaccumulative potential

Caproic anhydride (2051-49-2)		
	Partition coefficient n-octanol/water (Log Pow)	4.45 (25 °C)

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

# 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

No additional information available

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.

Waste treatment methods : Do not empty into drains. Dispose of this material and its container in a safe way.

Waste code : The waste code number according to the Ordinance on the European Waste Catalogue

depends on the waste producer and can therefore vary for any given product. The waste code number is therefore to be gleaned separately from each waste producer.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

14.07.2023 EN (English) Acylation Concentrate BA R-0012: 5/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

14.1. UN number or ID number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

# 14.6. Special precautions for user

# Overland transport

Not applicable

# Transport by sea

Not applicable

# Air transport

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

# 15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 3 - Highly hazardous to water
WGK Remark : Classification according to AwSV, Annex 1

Storage class (LGK) : LGK 12 - Non-inflammable liquids

Employment restrictions : Employment prohibitions for the protection of young people at work according to § 22 section

1(6) JArbSchG have to be observed.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Changes compared to the previous version

14.07.2023 EN (English) Acylation Concentrate BA R-0012: 6/7

# Safety Data Sheet

according to Regulation (EU) 2020/878

# Abbreviations and acronyms:

r	· · · · · · · · · · · · · · · · · · ·
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration)
IATA	International Air Transport Association
IMDG	"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea
LC50	Lethal Concentration to 50 % of a test population (Median Lethal Concentration)
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOAEL	Lowest Observed Adverse Effect Level
NOAEC/L	No Observed Adverse Effect Concentration/Level
NOEC/L	No Observed Effect Concentration/Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic substance
PNEC	Predicted No-Effect Concentration
REACH	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
SDS	Safety Data Sheet
STP	Sewage Treatment Plant
UFI	Unique Formula Identifier
vPvB	Very Persistent and Very Bioaccumulative

# Full text of H- and EUH-phrases:

Skin Sens. 1A	Skin sensitisation, Category 1A
H317	May cause an allergic skin reaction.

# SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

14.07.2023 EN (English) Acylation Concentrate BA R-0012: 7/7



# Safety Data Sheet

according to Regulation (EU) 2020/878

Date of issue: 14.07.2023 Revision date: - Version/Replaced version: 1.0/-

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Hydrochloric Acid BA R-8619

UFI : -

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory reagent, Immunoassays

Use by professionals.

1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

Supplier/Manufacturer

LDN Labor Diagnostika Nord GmbH & Co. KG Am Eichenhain 1

48531 Nordhorn, Germany T +49 (0)5921 81970 - F +49 (0)5921 8197 201

support@ldn.de

# 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency telephone number
Germany	LDN Labor Diagnostika Nord GmbH & Co. KG	Am Eichenhain 1	+49 (0) 5921-81970
		48531 Nordhorn, Germany	(Mo-Fr 8:00-16:00)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]
Corrosive to metals, Category 1 H290

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals.

# 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Warning

Hazard statements (CLP) : H290 - May be corrosive to metals.

Precautionary statements (CLP) : P234 - Keep only in original packaging.

P390 - Absorb spillage to prevent material damage.

P406 - Store in a corrosion resistant container with a resistant inner liner.

Reduced labelling (contents of the package ≤ 125 ml) according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) : Signal word (CLP) : Hazard statements (CLP) : Precautionary statements (CLP) : -

# 2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

14.07.2023 EN (English) Hydrochloric Acid BA R-8619: 1/8

# Safety Data Sheet

according to Regulation (EU) 2020/878

# **SECTION 3: Composition/information on ingredients**

Not applicable

### 3.2 **Mixtures**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
hydrochloric acid %	(EC-No) 231-595-7 (EC Index-No) 017-002-01-X	0.1 - 1	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335

Name	Product identifier	Specific concentration limits according to Regulation (EC) No. 1272/2008 [CLP]
hydrochloric acid %	(EC-No) 231-595-7 (EC Index-No) 017-002-01-X	$(10 \le C < 25)$ Skin Irrit. 2, H315 $(10 \le C < 25)$ Eye Irrit. 2, H319 $(10 \le C \le 100)$ STOT SE 3, H335 $(25 \le C \le 100)$ Skin Corr. 1B, H314

Full text of H-statements: see section 16

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell. If possible show him this sheet. Failing this,

show him the packaging or label. Never give anything by mouth to an unconscious person.

Place the affected person in the recovery position.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

: Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. First-aid measures after skin contact

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present First-aid measures after eye contact and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Drink plenty of water as a precaution.

# Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# Extinguishing media

Suitable extinguishing media : Adapt extinguishing agents to the environment. Carbon dioxide. Foam. Dry extinguishing

powder. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

### Special hazards arising from the substance or mixture 5.2.

Hazardous decomposition products in case of

fire

: Toxic gases may be formed. Carbon dioxide. Carbon monoxide. Hydrogen chloride. Chlorine.

5.3. Advice for firefighters

Firefighting instructions : Prevent firefighting water from entering the environment. Use water spray or fog for cooling

exposed containers

: Use a self-contained breathing apparatus and also a protective suit. Protection during firefighting

# **SECTION 6: Accidental release measures**

# Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Ensure adequate air ventilation. Avoid contact with skin and eyes. Do

not breathe vapours/spray

6.1.1. For non-emergency personnel

**Emergency procedures** : Evacuate unnecessary personnel.

612 For emergency responders

Protective equipment : Use personal protective equipment as required. In case of inadequate ventilation wear

respiratory protection.

### 6.2. **Environmental precautions**

Prevent entry to sewers and public waters.

### Methods and material for containment and cleaning up 6.3.

Methods for cleaning up Absorb spillage to prevent material damage. Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Dispose of in accordance with relevant local regulations.

14.07.2023 EN (English) Hydrochloric Acid BA R-8619: 2/8

# Safety Data Sheet

according to Regulation (EU) 2020/878

# 6.4. Reference to other sections

Exposure controls and personal protection, see section 8. Concerning disposal elimination after cleaning, see section 13.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact

with skin and eyes. Do not breathe vapour/aerosol.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. When using do not

eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Store in original container.

Keep container tightly closed. Store in a cool, well-ventilated place. Protect from direct sunlight.

Keep out of frost. Store locked up

Prohibitions on mixed storage : Keep away from food, drink and animal feedingstuffs.

Incompatible materials : Metals.

7.3. Specific end use(s)

Laboratory reagent, Immunoassays

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Hydrochloric acid % (EC 231-595-7)		
EU	Local name	Hydrogen chloride
EU	IOELV TWA (mg/m³)	8 mg/m³
EU	IOELV TWA (ppm)	5 ppm
EU	IOELV STEL (mg/m³)	15 mg/m³
EU	IOELV STEL (ppm)	10 ppm
Austria	Local name	Chlorwasserstoff
Austria	MAK (OEL TWA) (mg/m³)	8 mg/m³
Austria	MAK (OEL TWA) (ppm)	5 ppm
Austria	MAK (OEL STEL) (mg/m³)	15 mg/m³
Austria	MAK (OEL STEL) (ppm)	10 ppm
Belgium	Local name	Hydrogène (chlorure d') # Waterstofchloride
Belgium	OEL TWA (mg/m³)	8 mg/m³
Belgium	OEL TWA (ppm)	5 ppm
Belgium	OEL STEL (mg/m³)	15 mg/m³
Belgium	OEL STEL (ppm)	10 ppm
Germany	TRGS 900 Local name	Hydrogenchlorid
Germany	TRGS 900 Occupational Exposure Limit Value (mg/m³)	3 mg/m³
Germany	TRGS 900 Occupational Exposure Limit Value (ppm)	2 ppm
Germany	TRGS 900 Remark	2(I), DFG, EU, Y
Luxembourg	Local name	Chlorure d'hydrogène
Luxembourg	OEL TWA (mg/m³)	8 mg/m³
Luxembourg	OEL TWA (ppm)	5 ppm
Luxembourg	OEL STEL (mg/m³)	15 mg/m³
Luxembourg	OEL STEL (ppm)	10 ppm
Switzerland	Local name	Acide chlorhydrique / Chlorwasserstoff [Salzsäure]
Switzerland	MAK (mg/m³)	3 mg/m³
Switzerland	MAK (ppm)	2 ppm
Switzerland	KZGW (mg/m³)	6 mg/m³
Switzerland	KZGW (ppm)	4 ppm
Switzerland	Notation	SSC

# Hydrochloric acid ... % (EC 231-595-7) DNEL/DMEL (Workers) Acute - local effects, inhalation 15 mg/m³ Long-term - local effects, inhalation 8 mg/m³

14.07.2023 EN (English) Hydrochloric Acid BA R-8619: 3/8

# Safety Data Sheet

according to Regulation (EU) 2020/878

Hydrochloric acid % (EC 231-595-7)	
DNEL/DMEL (General population)	
Acute - local effects, inhalation 15 mg/m³	
Long-term - local effects, inhalation 8 mg/m³	

# 8.2. Exposure controls

# Appropriate engineering controls:

Provide local exhaust or general room ventilation to minimize vapour concentrations.

# Hand protection:

Wear suitable gloves (EN 374). Nitrile rubber, 0.35 mm. Butyl rubber, 0.5 mm. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

# Eye protection:

Wear safety glasses (EN 166).

# Skin and body protection:

Wear suitable protective clothing.

# Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Breathing apparatus with filter type P2.

# **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : No data available
Odour : No data available
Melting point/freezing point : No data available
Boiling point or initial boiling point and boiling : No data available

range

Flammability : No data available
Lower and upper explosion limit : No data available
Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
pH : No data available
Kinematic viscosity : No data available

Solubility : Water: completely miscible

Partition coefficient n-octanol/water (log value) : Not applicable
Vapour pressure : No data available
Density and/or relative density : No data available
Relative vapour density : No data available
Particle size : Not applicable

# 9.2. Other information

# 9.2.1. Information with regard to physical hazard classes

Explosive properties : No explosive properties

Oxidising properties : No oxidising properties

# 9.2.2. Other safety characteristics

No additional information available

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

# 10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

14.07.2023 EN (English) Hydrochloric Acid BA R-8619: 4/8

# Safety Data Sheet

according to Regulation (EU) 2020/878

# 10.3. Possibility of hazardous reactions

May be corrosive to metals.

# 10.4. Conditions to avoid

High temperatures.

# 10.5. Incompatible materials

Strong oxidizing agents. Strong bases. Strong acids. Metals.

# 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. In case of fire: Toxic gases may be formed. Carbon dioxide. Carbon monoxide. Hydrogen chloride. Chlorine.

# SECTION 11: Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Not classified

Based on available data, the classification criteria are not met

Hydrochloric acid % (EC 231-595-7)	
LC50 inhalation rat	7051 mg/m³ 30 min
Skin corrosion/irritation	: Not classified
	Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
	Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
	Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
	Based on available data, the classification criteria are not met
11.2. Information on other hazards	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met

# SECTION 12: Ecological information

# 12.1. Toxicity

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

Hydrochloric acid % (EC 231-595-7)	
LC50 Fish	pH 3.25 – 3.5 96 h, Lepomis macrochirus
EC50 Crustacea	pH 4.92 48 h, Daphnia magna
EC50 Algae	pH 4.7 72 h, Chlorella vulgaris

# 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

No additional information available

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

14.07.2023 EN (English) Hydrochloric Acid BA R-8619: 5/8

# Safety Data Sheet

according to Regulation (EU) 2020/878

# 12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.

Waste treatment methods : Do not empty into drains. Dispose of this material and its container in a safe way.

Waste code : The waste code number according to the Ordinance on the European Waste Catalogue

depends on the waste producer and can therefore vary for any given product. The waste code

number is therefore to be gleaned separately from each waste producer.

# SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

# 14.1. UN number or ID number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable

# 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

# 14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR) : Not applicable

# **IMDG**

Transport hazard class(es) (IMDG) : Not applicable

# IATA

Transport hazard class(es) (IATA) : Not applicable

# 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

# 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

# 14.6. Special precautions for user

# Overland transport

Not applicable

# Transport by sea

Not applicable

# Air transport

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION** 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

14.07.2023 EN (English) Hydrochloric Acid BA R-8619: 6/8

# Safety Data Sheet

according to Regulation (EU) 2020/878

# 15.1.2. National regulations

# Germany

Water hazard class (WGK) : WGK 1 - Slightly hazardous to water

WGK Remark : Classification according to AwSV, Annex 1

Storage class (LGK) : LGK 8B - Non-combustible corrosive substances

Employment restrictions : Employment prohibitions for the protection of you

: Employment prohibitions for the protection of young people at work according to § 22 section

1(6) JArbSchG have to be observed.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Changes compared to the previous version : -

# Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration)
IATA	International Air Transport Association
IMDG	"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea
LC50	Lethal Concentration to 50 % of a test population (Median Lethal Concentration)
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOAEL	Lowest Observed Adverse Effect Level
NOAEC/L	No Observed Adverse Effect Concentration/Level
NOEC/L	No Observed Effect Concentration/Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic substance
PNEC	Predicted No-Effect Concentration
REACH	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
SDS	Safety Data Sheet
STP	Sewage Treatment Plant
UFI	Unique Formula Identifier
vPvB	Very Persistent and Very Bioaccumulative

# Full text of H- and EUH-phrases:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

SDS EU (REACH Annex II)

14.07.2023 EN (English) Hydrochloric Acid BA R-8619: 7/8

# Safety Data Sheet

according to Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

14.07.2023 EN (English) Hydrochloric Acid BA R-8619: 8/8



Safety Data Sheet according to Regulation (EU) 2020/878

Date of issue: 14.07.2023 Revision date: - Version/Replaced version: 1.0/-

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Standards and Controls BA R-8601, BA R-8602, BA R-8603, BA R-8604, BA R-8605,

BA R-8606, BA R-8651 and BA R-8652

UFI : -

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory reagent, Immunoassays

Use by professionals.

1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

Supplier/Manufacturer

LDN Labor Diagnostika Nord GmbH & Co. KG Am Eichenhain 1

48531 Nordhorn, Germany

T +49 (0)5921 81970 - F +49 (0)5921 8197 201

support@ldn.de

# 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency telephone number
Germany	LDN Labor Diagnostika Nord GmbH & Co. KG	Am Eichenhain 1	+49 (0) 5921-81970
		48531 Nordhorn, Germany	(Mo-Fr 8:00-16:00)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage.

# 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS05

Signal word (CLP) : Warning

Hazard statements (CLP) : H290 - May be corrosive to metals.

Precautionary statements (CLP) : P234 - Keep only in original packaging.

P390 - Absorb spillage to prevent material damage.

P406 - Store in a corrosion resistant container with a resistant inner liner.

Reduced labelling (contents of the package ≤ 125 ml) according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) : - Signal word (CLP) : -

# Safety Data Sheet

according to Regulation (EU) 2020/878

Hazard statements (CLP) : Precautionary statements (CLP) : -

### 2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
hydrochloric acid %	(EC-No) 231-595-7 (EC Index-No) 017-002-01-X	< 1	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335

Name	Product identifier	Specific concentration limits according to Regulation (EC) No. 1272/2008 [CLP]
hydrochloric acid %	(EC-No) 231-595-7 (EC Index-No) 017-002-01-X	$(10 \le C < 25)$ Skin Irrit. 2, H315 $(10 \le C < 25)$ Eye Irrit. 2, H319 $(10 \le C \le 100)$ STOT SE 3, H335 $(25 \le C \le 100)$ Skin Corr. 1B, H314

Full text of H-statements: see section 16

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell. If possible show him this sheet. Failing this, show him the packaging or label. Never give anything by mouth to an unconscious person.

Place the affected person in the recovery position.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Drink plenty of water as a precaution.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# SECTION 5: Firefighting measures

# 5.1. Extinguishing media

Suitable extinguishing media : Adapt extinguishing agents to the environment. Carbon dioxide. Foam. Dry extinguishing

powder. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of : Toxic gases may be formed. Carbon dioxide. Carbon monoxide. Hydrogen chloride. Chlorine. fire

5.3. Advice for firefighters

Firefighting instructions : Prevent firefighting water from entering the environment. Use water spray or fog for cooling

EN (English)

exposed containers

Protection during firefighting : Use a self-contained breathing apparatus and also a protective suit.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate air ventilation. Avoid contact with skin and eyes. Do not breathe

vapours/spray.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

# Safety Data Sheet

according to Regulation (EU) 2020/878

# 6.1.2. For emergency responders

Protective equipment

: Use personal protective equipment as required. In case of inadequate ventilation wear

# respiratory protection.

# 6.2. Environmental precautions

Prevent entry to sewers and public waters.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Absorb spillage to prevent material damage. Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Dispose of in accordance with relevant local regulations.

# 6.4. Reference to other sections

Exposure controls and personal protection, see section 8. Concerning disposal elimination after cleaning, see section 13.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact

with skin and eyes. Do not breathe vapour/aerosol.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety procedures. When using do not eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Store in corrosive resistant container with a resistant inner liner. Store in original container. Keep container tightly closed. Store in a cool, well-ventilated place. Protect from direct sunlight. Keep out of front

Prohibitions on mixed storage

: Keep away from food, drink and animal feedingstuffs.

Incompatible materials

: Metals.

# 7.3. Specific end use(s)

Laboratory reagent, Immunoassays

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

EU         Local name         Hydrogen chloride           EU         IOELV TWA (mg/m²)         8 mg/m³           EU         IOELV STEL (mg/m³)         5 ppm           EU         IOELV STEL (ppm)         10 ppm           EU         IOELV STEL (ppm)         10 ppm           Austria         Local name         Chlorwasserstoff           Austria         MAK (OEL TWA) (mg/m³)         8 mg/m³           Austria         MAK (OEL TWA) (ppm)         5 ppm           Austria         MAK (OEL STEL) (mg/m³)         15 mg/m³           Austria         MAK (OEL STEL) (ppm)         10 ppm           Belgium         Local name         Hydrogène (chlorure d') # Waterstofchloride           Belgium         DEL TWA (mg/m³)         8 mg/m³           Belgium         OEL TWA (ppm)         5 ppm           Belgium         OEL TWA (ppm)         5 ppm           Belgium         OEL STEL (mg/m³)         15 mg/m³           Belgium         OEL STEL (mg/m³)         15 mg/m³           Belgium         OEL STEL (mg/m³)         10 ppm           Germany         TRGS 900 Occupational Exposure Limit Value (mg/m²)         3 mg/m³           Germany         TRGS 900 Remark         2(l), DFG, EU, Y           Luxembo	Hydrochloric acid % (EC	: 231-595-7)	
EU         IOELV TWA (ppm)         5 ppm           EU         IOELV STEL (mg/m³)         15 mg/m³           EU         IOELV STEL (ppm)         10 ppm           Austria         Local name         Chlorwasserstoff           Austria         MAK (OEL TWA) (mg/m³)         8 mg/m³           Austria         MAK (OEL TWA) (ppm)         5 ppm           Austria         MAK (OEL STEL) (mg/m³)         15 mg/m³           Austria         MAK (OEL STEL) (ppm)         10 ppm           Belgium         Local name         Hydrogène (chlorure d') # Waterstofchloride           Belgium         Cel TWA (mg/m³)         8 mg/m³           Belgium         OEL TWA (mg/m³)         15 mg/m³           Belgium         OEL STEL (mg/m³)         15 mg/m³           Belgium         OEL STEL (mg/m³)         15 mg/m³           Belgium         OEL STEL (mg/m³)         15 mg/m³           Germany         TRGS 900 Local name         Hydrogenchlorid           Germany         TRGS 900 Occupational Exposure Limit Value (mg/m³)         3 mg/m³           Germany         TRGS 900 Occupational Exposure Limit Value (ppm)         2 ppm           Germany         TRGS 900 Remark         2(I), DFG, EU, Y           Luxembourg         OEL TWA (mg/m³)	EU	Local name	Hydrogen chloride
EU         IOELV STEL (mg/m³)         15 mg/m³           EU         IOELV STEL (ppm)         10 ppm           Austria         Local name         Chlorwasserstoff           Austria         MAK (OEL TWA) (mg/m³)         8 mg/m³           Austria         MAK (OEL STEL) (mg/m³)         5 ppm           Austria         MAK (OEL STEL) (pgm)         15 mg/m³           Austria         MAK (OEL STEL) (ppm)         10 ppm           Belgium         Local name         Hydrogene (chlorure d') # Waterstofchloride           Belgium         OEL TWA (mg/m³)         8 mg/m³           Belgium         OEL TWA (ppm)         5 ppm           Belgium         OEL STEL (mg/m³)         15 mg/m³           Belgium         OEL STEL (mg/m³)         15 mg/m³           Belgium         OEL STEL (ppm)         10 ppm           Germany         TRGS 900 Local name         Hydrogenchlorid           Germany         TRGS 900 Cocupational Exposure Limit Value (mg/m³)         3 mg/m³           Germany         TRGS 900 Remark         2(I), DFG, EU, Y           Luxembourg         DEL TWA (mg/m³)         8 mg/m³           Luxembourg         OEL TWA (ppm)         5 ppm           Luxembourg         OEL STEL (mg/m³)         15 mg/m³     <	EU	IOELV TWA (mg/m³)	8 mg/m³
EU       IOELV STEL (ppm)       10 ppm         Austria       Local name       Chlorwasserstoff         Austria       MAK (OEL TWA) (mg/m³)       8 mg/m³         Austria       MAK (OEL STEL) (mg/m³)       15 mg/m³         Austria       MAK (OEL STEL) (mg/m³)       10 ppm         Belgium       Local name       Hydrogène (chlorure d') # Waterstofchloride         Belgium       OEL TWA (mg/m³)       8 mg/m³         Belgium       OEL TWA (ppm)       5 ppm         Belgium       OEL STEL (mg/m³)       15 mg/m³         Belgium       OEL STEL (ppm)       10 ppm         Germany       TRGS 900 Local name       Hydrogenchlorid         Germany       TRGS 900 Cocupational Exposure Limit Value (mg/m³)       3 mg/m³         Germany       TRGS 900 Occupational Exposure Limit Value (ppm)       2 ppm         Germany       TRGS 900 Remark       2(I), DFG, EU, Y         Luxembourg       Local name       Chlorure d'hydrogène         Luxembourg       OEL TWA (mg/m³)       8 mg/m³         Luxembourg       OEL TWA (ppm)       5 ppm         Luxembourg       OEL STEL (mg/m³)       15 mg/m³         Luxembourg       OEL STEL (ppm)       10 ppm         Switzerland       Acide chlorh	EU	IOELV TWA (ppm)	5 ppm
Austria Local name Chlorwasserstoff  Austria MAK (OEL TWA) (mg/m³) 8 mg/m³  Austria MAK (OEL TWA) (ppm) 5 ppm  Austria MAK (OEL STEL) (mg/m³) 15 mg/m³  Austria MAK (OEL STEL) (ppm) 10 ppm  Belgium Local name Hydrogène (chlorure d') # Waterstofchloride  Belgium OEL TWA (mg/m³) 8 mg/m³  Belgium OEL TWA (ppm) 5 ppm  Belgium OEL STEL (mg/m³) 15 mg/m³  Belgium OEL STEL (mg/m³) 15 mg/m³  Belgium OEL STEL (ppm) 10 ppm  Germany TRGS 900 Local name Hydrogenchlorid  Germany TRGS 900 Occupational Exposure Limit Value (mg/m³) 3 mg/m³  Germany TRGS 900 Occupational Exposure Limit Value (ppm) 2 ppm  Germany TRGS 900 Remark 2(I), DFG, EU, Y  Luxembourg Local name Chlorure d'hydrogène  Luxembourg OEL TWA (mg/m³) 8 mg/m³  Luxembourg OEL STEL (mg/m³) 15 mg/m³  Luxembourg OEL STEL (mg/m³) 2 ppm  Chlorure d'hydrogène  Luxembourg OEL TWA (mg/m³) 8 mg/m³  Luxembourg OEL STEL (mg/m³) 15 mg/m³  Luxembourg OEL STEL (ppm) 10 ppm  Switzerland Local name Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	EU	IOELV STEL (mg/m³)	15 mg/m³
Austria MAK (OEL TWA) (mg/m³) 8 mg/m³  Austria MAK (OEL TWA) (ppm) 5 ppm  Austria MAK (OEL STEL) (mg/m³) 15 mg/m³  Austria MAK (OEL STEL) (ppm) 10 ppm  Belgium Local name Hydrogene (chlorure d') # Waterstofchloride  Belgium OEL TWA (mg/m³) 8 mg/m³  Belgium OEL TWA (ppm) 5 ppm  Belgium OEL STEL (mg/m³) 15 mg/m³  Belgium OEL STEL (mg/m³) 15 mg/m³  Belgium OEL STEL (mg/m³) 10 ppm  Germany TRGS 900 Local name Hydrogenchlorid  Germany TRGS 900 Occupational Exposure Limit Value (mg/m³) 2 ppm  Germany TRGS 900 Occupational Exposure Limit Value (ppm) 2 ppm  Germany TRGS 900 Remark 2(I), DFG, EU, Y  Luxembourg DEL TWA (mg/m³) 8 mg/m³  Luxembourg OEL TWA (mg/m³) 5 ppm  Luxembourg OEL TWA (ppm) 5 ppm  Luxembourg OEL TWA (ppm) 5 ppm  Luxembourg OEL STEL (mg/m³) 15 mg/m³  Luxembourg OEL STEL (ppm) 10 ppm  Switzerland Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	EU	IOELV STEL (ppm)	10 ppm
Austria MAK (OEL TWA) (ppm) 5 ppm Austria MAK (OEL STEL) (mg/m³) 15 mg/m³ Austria MAK (OEL STEL) (ppm) 10 ppm Belgium Local name Hydrogène (chlorure d') # Waterstofchloride Belgium OEL TWA (mg/m³) 8 mg/m³ Belgium OEL TWA (ppm) 5 ppm Belgium OEL STEL (mg/m³) 15 mg/m³ Belgium OEL STEL (mg/m³) 15 mg/m³ Belgium OEL STEL (ppm) 10 ppm Germany TRGS 900 Local name Hydrogenchlorid Germany TRGS 900 Occupational Exposure Limit Value (mg/m³) 2 ppm Germany TRGS 900 Remark 2 (l), DFG, EU, Y Luxembourg Local name Chlorure d'hydrogène Luxembourg OEL TWA (mg/m³) 5 ppm Luxembourg OEL TWA (ppm) 5 ppm Luxembourg OEL TWA (ppm) 5 ppm Luxembourg OEL STEL (mg/m³) 15 mg/m³ Luxembourg OEL STEL (ppm) 10 ppm Switzerland Local name Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Austria	Local name	Chlorwasserstoff
AustriaMAK (OEL STEL) (mg/m³)15 mg/m³AustriaMAK (OEL STEL) (ppm)10 ppmBelgiumLocal nameHydrogène (chlorure d') # WaterstofchlorideBelgiumOEL TWA (mg/m³)8 mg/m³BelgiumOEL TWA (ppm)5 ppmBelgiumOEL STEL (mg/m³)15 mg/m³BelgiumOEL STEL (ppm)10 ppmGermanyTRGS 900 Local nameHydrogenchloridGermanyTRGS 900 Occupational Exposure Limit Value (mg/m³)3 mg/m³GermanyTRGS 900 Occupational Exposure Limit Value (ppm)2 ppmGermanyTRGS 900 Remark2(l), DFG, EU, YLuxembourgLocal nameChlorure d'hydrogèneLuxembourgOEL TWA (mg/m³)8 mg/m³LuxembourgOEL TWA (ppm)5 ppmLuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (ppm)10 ppmSwitzerlandAcide chlorhydrique / Chlorwasserstoff [Salzsäure]	Austria	MAK (OEL TWA) (mg/m³)	8 mg/m³
Austria MAK (OEL STEL) (ppm) 10 ppm  Belgium Local name Hydrogène (chlorure d') # Waterstofchloride  Belgium OEL TWA (mg/m³) 8 mg/m³  Belgium OEL TWA (ppm) 5 ppm  Belgium OEL STEL (mg/m³) 15 mg/m³  Belgium OEL STEL (ppm) 10 ppm  Germany TRGS 900 Local name Hydrogenchlorid  Germany TRGS 900 Occupational Exposure Limit Value (mg/m³) 2 ppm  Germany TRGS 900 Occupational Exposure Limit Value (ppm) 2 ppm  Germany TRGS 900 Remark 2(I), DFG, EU, Y  Luxembourg Local name Chlorure d'hydrogène  Luxembourg OEL TWA (mg/m³) 8 mg/m³  Luxembourg OEL TWA (ppm) 5 ppm  Luxembourg OEL STEL (mg/m³) 15 mg/m³  Luxembourg OEL STEL (ppm) 10 ppm  Switzerland Local name Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Austria	MAK (OEL TWA) (ppm)	5 ppm
BelgiumLocal nameHydrogène (chlorure d') # WaterstofchlorideBelgiumOEL TWA (mg/m³)8 mg/m³BelgiumOEL TWA (ppm)5 ppmBelgiumOEL STEL (mg/m³)15 mg/m³BelgiumOEL STEL (ppm)10 ppmGermanyTRGS 900 Local nameHydrogenchloridGermanyTRGS 900 Occupational Exposure Limit Value (mg/m³)3 mg/m³GermanyTRGS 900 Occupational Exposure Limit Value (ppm)2 ppmGermanyTRGS 900 Remark2(I), DFG, EU, YLuxembourgLocal nameChlorure d'hydrogèneLuxembourgOEL TWA (mg/m³)8 mg/m³LuxembourgOEL TWA (ppm)5 ppmLuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (ppm)10 ppmSwitzerlandLocal nameAcide chlorhydrique / Chlorwasserstoff [Salzsáure]	Austria	MAK (OEL STEL) (mg/m³)	15 mg/m³
Belgium OEL TWA (mg/m³) 8 mg/m³  Belgium OEL TWA (ppm) 5 ppm  Belgium OEL STEL (mg/m³) 15 mg/m³  Belgium OEL STEL (ppm) 10 ppm  Germany TRGS 900 Local name Hydrogenchlorid  Germany TRGS 900 Occupational Exposure Limit Value (mg/m³) 2 ppm  Germany TRGS 900 Occupational Exposure Limit Value (ppm) 2 ppm  Germany TRGS 900 Remark 2(I), DFG, EU, Y  Luxembourg Local name Chlorure d'hydrogène  Luxembourg OEL TWA (mg/m³) 8 mg/m³  Luxembourg OEL TWA (ppm) 5 ppm  Luxembourg OEL STEL (mg/m³) 15 mg/m³  Luxembourg OEL STEL (ppm) 10 ppm  Switzerland Local name Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Austria	MAK (OEL STEL) (ppm)	10 ppm
BelgiumOEL TWA (ppm)5 ppmBelgiumOEL STEL (mg/m³)15 mg/m³BelgiumOEL STEL (ppm)10 ppmGermanyTRGS 900 Local nameHydrogenchloridGermanyTRGS 900 Occupational Exposure Limit Value (mg/m³)3 mg/m³GermanyTRGS 900 Occupational Exposure Limit Value (ppm)2 ppmGermanyTRGS 900 Remark2(I), DFG, EU, YLuxembourgLocal nameChlorure d'hydrogèneLuxembourgOEL TWA (mg/m³)8 mg/m³LuxembourgOEL TWA (ppm)5 ppmLuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (ppm)10 ppmSwitzerlandLocal nameAcide chlorhydrique / Chlorwasserstoff [Salzsäure]	Belgium	Local name	Hydrogène (chlorure d') # Waterstofchloride
BelgiumOEL STEL (mg/m³)15 mg/m³BelgiumOEL STEL (ppm)10 ppmGermanyTRGS 900 Local nameHydrogenchloridGermanyTRGS 900 Occupational Exposure Limit Value (mg/m³)3 mg/m³GermanyTRGS 900 Occupational Exposure Limit Value (ppm)2 ppmGermanyTRGS 900 Remark2(I), DFG, EU, YLuxembourgLocal nameChlorure d'hydrogèneLuxembourgOEL TWA (mg/m³)8 mg/m³LuxembourgOEL TWA (ppm)5 ppmLuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (ppm)10 ppmSwitzerlandLocal nameAcide chlorhydrique / Chlorwasserstoff [Salzsäure]	Belgium	OEL TWA (mg/m³)	8 mg/m³
BelgiumOEL STEL (ppm)10 ppmGermanyTRGS 900 Local nameHydrogenchloridGermanyTRGS 900 Occupational Exposure Limit Value (mg/m³)3 mg/m³GermanyTRGS 900 Occupational Exposure Limit Value (ppm)2 ppmGermanyTRGS 900 Remark2(I), DFG, EU, YLuxembourgLocal nameChlorure d'hydrogèneLuxembourgOEL TWA (mg/m³)8 mg/m³LuxembourgOEL TWA (ppm)5 ppmLuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (ppm)10 ppmSwitzerlandLocal nameAcide chlorhydrique / Chlorwasserstoff [Salzsäure]	Belgium	OEL TWA (ppm)	5 ppm
Germany TRGS 900 Local name Hydrogenchlorid 3 mg/m³  Germany TRGS 900 Occupational Exposure Limit Value (mg/m³) 2 ppm  Germany TRGS 900 Occupational Exposure Limit Value (ppm) 2 ppm  Germany TRGS 900 Remark 2(I), DFG, EU, Y  Luxembourg Local name Chlorure d'hydrogène  Luxembourg OEL TWA (mg/m³) 8 mg/m³  Luxembourg OEL TWA (ppm) 5 ppm  Luxembourg OEL STEL (mg/m³) 15 mg/m³  Luxembourg OEL STEL (ppm) 10 ppm  Switzerland Local name Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Belgium	OEL STEL (mg/m³)	15 mg/m³
Germany  TRGS 900 Occupational Exposure Limit Value (mg/m³)  Germany  TRGS 900 Occupational Exposure Limit Value (ppm)  TRGS 900 Occupational Exposure Limit Value (ppm)  TRGS 900 Remark  2(I), DFG, EU, Y  Luxembourg  Local name  Chlorure d'hydrogène  Luxembourg  OEL TWA (mg/m³)  8 mg/m³  Luxembourg  OEL TWA (ppm)  5 ppm  Luxembourg  OEL STEL (mg/m³)  15 mg/m³  Luxembourg  OEL STEL (ppm)  Switzerland  Local name  Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Belgium	OEL STEL (ppm)	10 ppm
GermanyTRGS 900 Occupational Exposure Limit Value (ppm)2 ppmGermanyTRGS 900 Remark2(I), DFG, EU, YLuxembourgLocal nameChlorure d'hydrogèneLuxembourgOEL TWA (mg/m³)8 mg/m³LuxembourgOEL TWA (ppm)5 ppmLuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (ppm)10 ppmSwitzerlandLocal nameAcide chlorhydrique / Chlorwasserstoff [Salzsäure]	Germany	TRGS 900 Local name	Hydrogenchlorid
GermanyTRGS 900 Remark2(I), DFG, EU, YLuxembourgLocal nameChlorure d'hydrogèneLuxembourgOEL TWA (mg/m³)8 mg/m³LuxembourgOEL TWA (ppm)5 ppmLuxembourgOEL STEL (mg/m³)15 mg/m³LuxembourgOEL STEL (ppm)10 ppmSwitzerlandLocal nameAcide chlorhydrique / Chlorwasserstoff [Salzsäure]	Germany	l ' '	3 mg/m³
Luxembourg       Local name       Chlorure d'hydrogène         Luxembourg       OEL TWA (mg/m³)       8 mg/m³         Luxembourg       OEL TWA (ppm)       5 ppm         Luxembourg       OEL STEL (mg/m³)       15 mg/m³         Luxembourg       OEL STEL (ppm)       10 ppm         Switzerland       Local name       Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Germany	TRGS 900 Occupational Exposure Limit Value (ppm)	2 ppm
Luxembourg     OEL TWA (mg/m³)     8 mg/m³       Luxembourg     OEL TWA (ppm)     5 ppm       Luxembourg     OEL STEL (mg/m³)     15 mg/m³       Luxembourg     OEL STEL (ppm)     10 ppm       Switzerland     Local name     Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Germany	TRGS 900 Remark	2(I), DFG, EU, Y
Luxembourg     OEL TWA (ppm)     5 ppm       Luxembourg     OEL STEL (mg/m³)     15 mg/m³       Luxembourg     OEL STEL (ppm)     10 ppm       Switzerland     Local name     Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Luxembourg	Local name	Chlorure d'hydrogène
Luxembourg     OEL STEL (mg/m³)     15 mg/m³       Luxembourg     OEL STEL (ppm)     10 ppm       Switzerland     Local name     Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Luxembourg	OEL TWA (mg/m³)	8 mg/m³
Luxembourg     OEL STEL (ppm)     10 ppm       Switzerland     Local name     Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Luxembourg	OEL TWA (ppm)	5 ppm
Switzerland Local name Acide chlorhydrique / Chlorwasserstoff [Salzsäure]	Luxembourg	OEL STEL (mg/m³)	15 mg/m³
	Luxembourg	OEL STEL (ppm)	10 ppm
Switzerland MAK (mg/m³) 3 mg/m³	Switzerland	Local name	Acide chlorhydrique / Chlorwasserstoff [Salzsäure]
1 , 5 ,	Switzerland	MAK (mg/m³)	3 mg/m³

# Safety Data Sheet

according to Regulation (EU) 2020/878

Hydrochloric acid % (EC 231-595-7)		
Switzerland	MAK (ppm)	2 ppm
Switzerland	KZGW (mg/m³)	6 mg/m³
Switzerland	KZGW (ppm)	4 ppm
Switzerland	Notation	SSC

Hydrochloric acid % (EC 231-595-7)		
DNEL/DMEL (Workers)		
Acute - local effects, inhalation	15 mg/m³	
Long-term - local effects, inhalation	8 mg/m³	
DNEL/DMEL (General population)		
Acute - local effects, inhalation	15 mg/m³	
Long-term - local effects, inhalation	8 mg/m³	

### 8.2. **Exposure controls**

# Appropriate engineering controls:

Provide local exhaust or general room ventilation to minimize vapour concentrations.

## Hand protection:

Wear suitable gloves (EN 374). Nitrile rubber, 0.35 mm. Butyl rubber, 0.5 mm. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

# Eye protection:

Wear safety glasses (EN 166).

# Skin and body protection:

Wear suitable protective clothing.

# Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Breathing apparatus with filter type P2.

# **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

9.1.	Information	on basic	physica	l and	chemical	properties

Physical state : Liquid Colour : Colourless : No data available Odour Melting point/freezing point : No data available Boiling point or initial boiling point and boiling : No data available

range

Flammability : No data available Lower and upper explosion limit : No data available : No data available Flash point Auto-ignition temperature : No data available Decomposition temperature : No data available

: 1.0 - 1.3

Kinematic viscosity : No data available : No data available Solubility Partition coefficient n-octanol/water (log value) : Not applicable Vapour pressure : No data available Density and/or relative density : No data available Relative vapour density : No data available Particle size : Not applicable

# Safety Data Sheet

according to Regulation (EU) 2020/878

## 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosive properties : No explosive properties

Oxidising properties : No oxidising properties

# 9.2.2. Other safety characteristics

No additional information available

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

# 10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

# 10.3. Possibility of hazardous reactions

May be corrosive to metals.

# 10.4. Conditions to avoid

High temperatures.

# 10.5. Incompatible materials

Strong oxidizing agents. Strong bases. Strong acids. Metals.

# 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. In case of fire: Toxic gases may be formed. Carbon dioxide. Carbon monoxide. Hydrogen chloride. Chlorine.

# SECTION 11: Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Not classified

Based on available data, the classification criteria are not met

Hydrochloric acid % (EC 231-595-7)			
LC50 inhalation rat	7051 mg/m³ 30 min		
Skin corrosion/irritation	: Not classified		
	Based on available data, the classification criteria are not met		
Serious eye damage/irritation	: Not classified		
	Based on available data, the classification criteria are not met		
Respiratory or skin sensitisation	: Not classified		
	Based on available data, the classification criteria are not met		
Germ cell mutagenicity	: Not classified		
	Based on available data, the classification criteria are not met		
Carcinogenicity	: Not classified		
	Based on available data, the classification criteria are not met		
Reproductive toxicity	: Not classified		
	Based on available data, the classification criteria are not met		
Specific target organ toxicity (single exposure)	: Not classified		
	Based on available data, the classification criteria are not met		
Specific target organ toxicity (repeated	: Not classified		
exposure)	Based on available data, the classification criteria are not met		
Aspiration hazard	: Not classified		
	Based on available data, the classification criteria are not met		
11.2. Information on other hazards			
Potential adverse human health effects and	: Based on available data, the classification criteria are not met		

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

symptoms

# Safety Data Sheet

according to Regulation (EU) 2020/878

Hydrochloric acid % (EC 231-595-7)	
LC50 fish	pH 3.25 – 3.5 96 h, Lepomis macrochirus
EC50 crustacea	pH 4.92 48 h, Daphnia magna
EC50 algae	pH 4.7 72 h, Chlorella vulgaris

# 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

No additional information available

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

# 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.

Waste treatment methods : Do not empty into drains. Dispose of this material and its container in a safe way.

Waste code : The waste code number according to the Ordinance on the European Waste Catalogue

depends on the waste producer and can therefore vary for any given product. The waste code

number is therefore to be gleaned separately from each waste producer.

# SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

# 14.1. UN number or ID number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable

# 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

# 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

# Safety Data Sheet

according to Regulation (EU) 2020/878

# 14.6. Special precautions for user

# **Overland transport**

Not applicable

# Transport by sea

Not applicable

# Air transport

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

# 15.1.2. National regulations

# Germany

Water hazard class (WGK) : WGK 1 - Slightly hazardous to water
WGK Remark : Classification according to AwSV, Annex 1

Storage class (LGK) : LGK 10 - 13

Employment restrictions : Employment prohibitions for the protection of young people at work according to § 22 section

1(6) JArbSchG have to be observed.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Changes compared to the previous version : -

Abbreviations and acronyms:

	_
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration)
IATA	International Air Transport Association
IMDG	"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea
LC50	Lethal Concentration to 50 % of a test population (Median Lethal Concentration)
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOAEL	Lowest Observed Adverse Effect Level
NOAEC/L	No Observed Adverse Effect Concentration/Level
NOEC/L	No Observed Effect Concentration/Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic substance
PNEC	Predicted No-Effect Concentration
REACH	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
SDS	Safety Data Sheet
STP	Sewage Treatment Plant
UFI	Unique Formula Identifier

# Safety Data Sheet

according to Regulation (EU) 2020/878

vPvB	Very Persistent and Very Bioaccumulative

# Full text of H- and EUH-phrases:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

# SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.